





Digitized by the Internet Archive in 2009 with funding from Boston Library Consortium Member Libraries











Mat GE.75 M7

DEPARTMENT OF THE INTERIOR

MONOGRAPHS


OF THE

United States Geological Survey

VOLUME XV-PLATES



WASHINGTON
GOVERNMENT PRINTING OFFICE



Mar QE75 M7 Vol.15 Digtes

UNITED STATES GEOLOGICAL SURVEY

J. W. POWELL, DIRECTOR

THE POTOMAC

OR

YOUNGER MESOZOIC FLORA

BV

WILLIAM MORRIS FONTAINE



WASHINGTON
GOVERNMENT PRINTING OFFICE
1889



ILLUSTRATIONS.

Fig. 7. Equisetum Lyelli. II. Figs. 1-3, 6, 7, 9. Equisetum Virginicum. Figs. 4, 5. Equisetum Lyelli. Fig. 8. Rhizome of Equisetum, sp. undet. Fig. 10. Equisetum Marylandieum. Fig. 11. Cladophlebis constricta. III. Fig. 1. Cladophlebis latifolia. Fig. 2. Cladophlebis constricta. Figs. 3-8. Cladopblebis Virginiensis. IV. Figs. 1, 3-6. Cladophlebis Virginiensis. Fig. 2. Cladophlebis denticulata. Fig. 7. Cladophlebis parva. Fig. 8. Cladophlebis falcata, V. Figs. 1-6. Cladophlebis falcata, Fig. 7. Cladophlebis acuta. VI. Figs. 1-3. Cladophlehis parva. Fig. 4. Cladophlebis latifolia. Figs. 5, 6, 8-14. Cladophlebis constricta. Fig. 7. Cladophlebis falcata. VII. Figs. 1, 2. Cladophlebis falcata Figs. 3-5. Cladophlebis oblongifolia. Fig. 6. Cladophlebis acuta. Fig. 7. Cladophlebis denticulata. Figs. 8-11. Angiopteridium auriculatum. VIII. Figs. 1-7. Pecopteris Virginieusis. IX. Figs. 1-6. Pecopteris Virginiensis. Figs. 7-9 Cladophlebis crenata. X. Figs. 1, 2. Cladophlebis creuata. Figs. 3, 4. Cladophlebis inclinata. Figs. 5, 8. Cladophlebis, sp. undet. Figs. 6, 7. Cladophlebis acuta. Fig. 9. Asplenium dubium. XI. Figs. 1-6. Aspidium Fredericksburgense. Figs. 7, 8. Cladopblebis acuta. XII. Figs. 1-6. Aspidium Fredericksburgense. XIII. Figs. 1-3. Cladophiebis crenata. Figs. 4, 5. Cladophlebis distans. Figs. 6-8. Pecopteris strictinervis. Figs. 9, 10. Aspidium ellipticum. XIV. Figs. 1-5. Aspidium heterophyllum. XV. Figs. 1-5. Aspidium heterophyllum. Fig. 6. Cladophlevis, sp. undet. Fig. 7. Aspidium Virginicum. Fig. 8. Pecopteris ovatodentata. XVI. Figs. 1, 3, 8. Aspidium angustipinnatum. Fig. 2. Aspidium cystopteroides. Figs. 4, 5. Polypodium fadyenioides.

Fig. 6. Aspleniopteris adiantifolia.

Fig. 7. Acrostichum crassifolium. Fig. 9. Aspidium Fredericksburgense.

PLATE I. Figs. 1-6, 8. Equisetum Virgipicum.

PLATE XVII. Fig. 1. Aspidium angustipinnatum. Fig. 2. Aspidium macrocarpum. Figs. 3-7. Thiunfeldia variabilis. XVIII. Figs. 1-6. Thiunfeldia variabilis, XIX. Fig. 1. Cladophlebis crenata. Fig. 2. Cladophlebis, sp. undet. Fig. 3. Cladophlebis, sp. undet. Fig. 4. Aspidium Oerstedi?. Fig. 5. Cladophlebis alata. Figs. 6, 7. Aspidium Fredericksburgense. Fig. 8. Pecopteris microdonta. Fig. 9. Pecopteris strictinervis. Fig. 10. Aspidium augustipinnatum. XX. Figs. 1, 2, 4. Pecopteris constricta. Fig. 3. Pecopteris strictinervis. Figs. 5, 11. Pecopteris microdonta, Fig. 6. Cladophlebis crenata. Fig. 7. Cladophlebis, sp. undet. Fig. 8. Cladophiebis inclinata. Figs. 9, 10. Cladopblebis rotundata. XXI. Figs. 1-3. Pecupteris brevipennis. Fig. 4. Cladophlebis sphenopteroides. Fig. 5. Aspidium oblongifolium. Fig. 6. Aspidium parvifolium. Fig. 7. Pecopteris socialis. Fig. 8. Stenopteris Virginica. Figs. 9, 13. Cladophlebis constricta. Fig. 10. Pecopteris angustipennis. Fig. 11. Gleichenia Nordenskioldi. Fig. 12. Undetermined fern. Fig. 14. Aspidium Virginicum. Fig. 15. Aspidium piuuatifidum. XXII. Figs. 1-3, 6, 7. Aspleniopteris pinnatifida. Figs. 4, 5. Polypodium dentatum. Fig. 8. Cladophlebis petiolata. Fig. 9. Aspidium Dunkeri. Figs. 10. 11. Pecopteris Browniana. Fig. 12. Pecopteris ovatodentata. Fig. 13. Pecopteris strictinervis. XXIII. Fig. 1. Pecopteris ovatodentata. Figs. 2-7. Pecopteris Browniana. XXIV. Fig. 1. Thyrsopteris Virginica. Fig. 2. Pecopteris Virginiensis. Fig. 3. Thyrsopteris elliptica. Figs. 4, 6, 7, 9. Thyrsopteris dentata. Figs. 5, 10. Thyrsopteris brevifolia. Fig. 8. Aspidium parvifolium. XXV. Figs. 1, 2. Thyrsopteris dentata. Fig. 3. Sphenopteris thyrsopteroides. Figs. 4, 5, 16. Thyrsopteris nervosa. Figs. 6, 7, 14, 15. Aspidium dentatum.

PLATE XXV. Fig. 8. Cladophlebis inæquiloba.
Fig. 9. Cladophlebis pachyphylla.
Fig. 10. Aspidium parvifolium.
Figs.11, 12. Aspidium Dunkeri.
Fig. 13. Osmanda sphenopteroides.

XXVI. Figs. 1, 14, 16, 17. Aspidium parvifolium.

Figs. 2, 8, 9, 18. Aspidium Duukeri.

Figs. 3, 13. Pecopteris Browniaua.

Figs. 4, 5. Pecopteris pachyphylla.

Figs. 6, 7. Thyrsopteris rarinervis.

Figs. 10-12. Thinn feldia granulata.

Fig. 15. Cladophlobis, sp. andet.

XXVII. Figs. 1-5, 8. Thinnfeldia granulata. Figs. 6, 7. Thinnfeldia rotundiloba. Fig. 10. Sagenopteris latifolia. Figs. 9, 11-17. Sagenopteris elliptica.

XXVIII. Fig. 1. Angiopteridium auriculatum. Figs. 2, 4, 6. Scleropteris elliptica. Figs. 3, 5. Scleropteris Virginica. Fig. 7. Scleropteris elliptica, var. longifolia.

XXIX. Fig. 1. Scleropteris elliptica. Fig. 2. Angiopteridium nervosum. Fig. 3. Angiopteridium ellipticum.

Fig. 4. Angiopteridium deusinerve. Fig. 5. Angiopteridium pachyphyllam. Figs. 6, 7. Angiopteridium ovatam.

Figs. 8, 9. Angiopteridium strictinerve. XXX. Figs. 1, 5. Angiopteridium strictinerve, var. latifolium.

Figs. 2, 3. Anomozamites angustifolius. Fig. 4. Anomozamites Virgioicus. Figs. 6, 7. Angiopteridium dentatum. Fig. 8. Platypterigium densinerve.

XXXI. Figs. 1, 4. Platypteriginm deusinerve. Fig. 2. Platypteriginm Rogersianum. Fig. 3. Anomozamites Virginicus.

XXXII. Figs. 1, 2. Platypterigium densinerve. XXXIII. Fig. 1. Platypterigium densinerve.

Fig. 2. Platypterigium Rogersianum. XXXIV. Fig. 1. Platypterigium densinerve. Fig. 2. Platypterigium Rogersianum. Fig. 3. Thyrsopteris brevipennis. Fig. 4. Sohenopteris accodentata.

XXXV. Figs. 1, 2. Platypterigium densinerve. Figs. 3-5. Spheuopteris latiloba.

XXXVI. Fig. 1. Cladophlebis brevipeonis. Fig. 2. Thyrsopteris brevipennis. Fig. 3. Thyrsopteris alata.

Figs. 4-9. Sphenopteris latiloba.

XXXVII. Fig. 1. Sphenopteris latiloba.

Figs. 3, 4. Thyrsopteris nervosa.

Figs. 5-8. Thyrsopteris brevipennis.

Figs. 5-8. Thyrsopteris divaricata.

XXXVIII. Fig. 1. Thyrsopteris brevipennis. Figs. 2-4, 8. Thyrsopteris Meekiana. Figs. 5-7, 9. Thyrsopteris Meekiana, var. angustiloba.

XXXIX, Figs. 1, 2. Thyrsopteris crenata. Fig. 3. Thyrsopteris densifolia, Fig. 4. Thyrsopteris insignis. Fig. 5. Thyrsopteris nervosa.

XL. Fig. 1. Thyrsopteris insignis.
Figs. 2-5. Thyrsopteris densifolia.
Fig. 6. Thyrsopteris nervosa.

XLI, Figs. 1-3. Thyrsopteris crassinervis. Fig. 4. Thyrsopteris brevipennis. Fig. 5. Osmunda Dicksonioides. PLATE XLI. Fig. 6. Thyrsopteris insignis.

XLII. Figs. 1, 2, 4. Thyrsopteris insignis,

Fig. 3. Thyrsopteris insignis, var. augustipon-

XLIII. Figs. 1, 3. Thyrsopteris insignis.

Fig. 2. Thyrsopteris insignis, var. augustipen.

uis.

Figs. 4-6. Thyrsopteris rarinervis.

Figs. 4-6. Thyrsopteris rarinervis.

Fig. 7. Thyrsopteris decurrens.

Fig. 8. Thyrsopteris Macking var.

Fig. 8. Thyrsopteris Meckiana, var. angustiloba.

XLIV. Figs, 1, 2, 5. Thyrsopteris rarinervis.
Fig. 3. Thyrsopteris Meekiana, var. angustiloba.
Fig. 4. Thyrsopteris angustifolia.

XLV. Figs. 1, 2, 4, 5. Thyrsopteris microphylla. Fig. 3, Thyrsopteris augustifolia.

XLVI. Fig. 1. Thyrsopteris elliptica. Figs. 2, 4. Thyrsopteris decurrens. Figs. 3, 5. Thyrsopteris pachyrachis.

XLVII. Figs. 1, 2. Thyrsopteris pachyrachis. Fig. 3. Thyrsopteris distans. Fig. 4. Thyrsopteris Meckiana, var. angusti-

loba. XLVIII. Fig. 1. Thyrsopteris Meekiana, var. augustiloba.

Fig. 2. Thyrsopteris angustifolia. Figs. 3-5. Thyrsopteris angustiloha. XLIX. Fig. 1. Thyrsopteris pachyrachis.

Fig. 2. Thyrsopteris rarinervis. Figs. 3, 4. Thyrsopteris augustifolia. Figs. 5-7. Thyrsopteris decurrens.

L. Figs. 1, 2. Sphenopteris Mantelli. Fig. 3. Thyrsopteris pacbyphylla, Fig. 4. Sphenopteris spatulata. Fig. 5. Sphenopteris spatulata. Figs. 6, 9. Thyrsopteris elliptica. Figs. 7, 8. Thyrsopteris Meekiana.

LI. Fig. 1. Thyrsopteris pecopteroides.
Fig. 2. Thyrsopteris pinnatifida.
Fig. 3. Thyrsopteris Meekiana.
Figs. 4, 6, 7. Thyrsopteris elliptica.
Fig. 5. Thyrsopteris densifolia.

LII. Fig. 1. Thyrsopteris heteromorpha-Figs. 2-4. Thyrsopteris varians. Fig. 5. Thyrsopteris rhombifolia.

LIII. Figs. 1-3. Thyrsopteris varians. Fig. 4. Thyrsopteris heteroloba. Fig. 5. Thyrsopteris bella.

LIV. Fig. I. Thyrsopteris rhombifolia.
Figs. 2, 11. Thyrsopteris Meekiana, var. augustiloba.

Figs. 3, 9. Aspidium Duukeri. Figs. 4, 5, 7. Thyrsopteris pinnatifida. Fig. 6. Thyrsopteris elliptica. Fig. 8. Thyrsopteris distans.

Fig. 10. Thyrsopteris varians.

LV. Fig. 1. Thyrsopteris Meekiana, var. augusti-

loba.
Fig. 2. Thyrsopteris angustifolia.
Fig. 3. Thyrsopteris angustiloba.

Fig. 4. Thyrsopteris elliptica. Fig. 5. Thyrsopteris microloba, var. alata.

Figs. 6, 7. Thyrsopteris bella.

LVI. Figs. 1, 3. Thyrsopteris Meekiana, var. angustiloba.

Figs. 2. 5. Thyrsopteris bella.

PLATE LXX. Fig. 1. Zamites tenninervis.

ATE LVI.	Figs. 4, 8. Thyrsopteris nana.
	Figs. 6, 7. Thyrsopteris elliptica. Figs. 1, 5. Thyrsopteris bella. Fig. 2. Thyrsopteris varians.
L V 11.	Figs. 1, 5. Thyrsopteris bella.
	Fig. 2. Thyrsopteris varians.
	Figs. 3, 8. Thyrsopteris inæquipinnata.
	Fig. 4. Thyrsopteris microloba.
	Fig. 6. Thyrsopteris elliptica. Fig. 7. Thyrsopteris pinnatifida.
	Fig. 7. Thyrsopteris pinnatifida.
LVIII.	Fig. 1. Thyrsopteris microloba, var. alata.
	Fig. 2. Thyrsopteris elliptica.
	Fig. 3. Thyrsopteris heterophylla.
	Fig. 4. Thyrsopteris bella.
	Fig. 5. Sphenopteris thyrsopteroides.
	Fig. 6. Thyrsopteris sphenopteroides.
	Figs. 7, 10. Thyrsopteris ohtnsiloha.
	Fig. 8. Thyrsopteris angustifolia.
	Fig. 9. Osmunda Dicksonioides.
LIX.	Figs. I, 4, 8, 9, 11. Osmunda Dicksonioides.
	Figs. 2, 12. Aspidium microcarpum.
	Fig. 3. Thyrsopteris squarrosa.
	Fig. 5. Fern frond in circinate vernation.
	Figs. 6, 7. Thyrsopteris rhombiloba.
	Fig. 10. Thyrsopteris retusa.
LX.	Figs. I, 3. Osmunda Dicksonioides, var. latipen-
	nis.
	Figs. 2, 4, 5, 9. Osmunda Dicksonioides.
	Figs. 6, 7. Aspidium microcarpum.
	Fig. 8. Thyrsopteris rhombiloba.
LXI.	Figs. 1, 2. Osmunda Dicksonioides.
	Fig. 3. Osmunda Dicksonioides, var. latipennis.
	Figs. 4, 5. Ctenopteris insignis.
	Fig. 6. Undetermined plant.
	Fig. 7. Zamiopsis pinnatifida.
	Fig. 8. Zamiopsis longipennis.
LXII.	Fig. I. Ctenopteris iusignis.
	Fig. 2. Ctenopteris integrifolia.
	Fig. 3. Zamiopsis insignis.
	Fig. 4. Ctenopteris Virginiensis. Fig. 5. Zamiopsis pinnatifida.
	Fig. 5. Zamiopsis pinnatifida.
LXIII.	Figs. 1, 2. Ctenopteris insignis.
	Figs. 3, 4. Scleropteris dentata.
LXIV.	Figs. 1, 3. Zamiopsis insignis.
	Fig. 2. Zamiopsis pinnatifida.
LXV.	Fig. I. Ctenopteris Virginiensis.
	Fig. 2. Ctenopteris augustifolia.
	Fig. 3. Ctenopteris intogrifolia.
	Figs. 4-6. Zamiopsis insignis.
LXVI.	Figs. 1, 5-8. Zamiopsis laciniata.
	Fig. 2. Zamiopsis insignis.
	Fig. 3. Zamiopsis petiolata.
	Fig. 4. C enopteris Virginiensis.
LXVII.	Fig. 1. Zamites tenuinervis.
	Fig. 2. Zamiopsis pinnatifida.
	Fig. 3. Ctenopteris minor.
	Fig. 4. Ctenopteris augustifolia.
	Fig. 5. Ctenopteris lougifolia.
	Fig. 6. Dioönites Buchianus, var. angustifolius.
	Fig. 7. Zamiopsis insignis.
LXVIII.	Fig. 1. Dioönites Buchianus.
LIL VIII.	Figs. 2, 3. Ctenophyllum latifolium.
	Fig. 4. Dioönites Buchianus, var. angustifolius.
	Fig. 5. Glossozawites distans.
	Fig. 6. Podozamites subfalcatus.
LYIV	Figs. 1, 3. Dioönites Buchianus.
LAIA.	Fig. 2. Zamites tenninervis.
TVIV	Fig. 4. Zamites crassinervis.
DAIA.	TIE ORDITION CLASSIFICE VISI

PLATE LVI. Figs. 4, 8. Thyrsopteris nana

Figs. 2, 3. Dioonites Buchianns. Fig. 4. Encephalartopsis nervosa. LXXI. Fig. 1. Dioönites Buchianus. Fig. 2. Dioönites Buchianus, var. august fo-Figs. 3, 4. Encephalartopsis nervosa. LXXII. Figs. 1, 2. Dioöuites Buchianus. Figs. 3, 4. Encephalartopsis nervosa. LXXIII. Figs. 1-3. Diocoites Buchianus. LXXIV. Figs. 1-3. Dioönites Buchianus. LXXV. Fig. 1. Nageiopsis longifolia. Fig. 2. Nageiopsis recurvata. Fig. 3. Zamites tenuinervis. LXXVI. Fig. 1. Podozamites pedicellatus, Figs. 2-6, Nugeiopsis longifolia. Fig. 7. Zamites tenninervis. LXXVII. Figs. 1, 2. Nageiopsis longifolia. Fig. 3. Nageiopsis decrescens. Fig. 4. Nageiopsis ovata. LXXVIII. Figs, 1-5, Nageiopsis longifolia. Fig. 6. Zamites tenuinervis. Fig. 7. Podozamites pedicellatus. LXXIX. Figs. 1, 3. Nageiopsis zamioides. Figs. 2, 6. Nageiopsis crassicaulis. Fig. 4. Nageiopsis recurvata. Fig. 5. Podozamites distantinervis. Fig. 7. Nageiopsis longifolia. LXXX. Figs. 1, 2, 4. Nageiopsis zamioides. Fig. 3. Nageiopsis recurvata. Fig. 5. Nageiopsis ovata. Fig. 6. Podozamites neutifolius. LXXXI. Figs. 1-6. Nageiopsis zamioides. LXXXII. Fig. 1. Nageiopsis crassicaulis. Fig. 2. Podozamites grandifolius. Fig. 3. Nageiopsis latifolia. Fig. 4. Podozamites distantinervis. Fig. 5. Podozamites pedicellatus. LXXXIII. Figs. 1, 2, 6, 7. Podozamites distantinervis. Fig. 3. Zamites crassinervis. Fig. 4. Zamites distantinervis. Fig. 5. Podozamites grandifolius. LXXXIV. Figs. I, 2, 8, 10, 14, 15. Podozamites distantinervis. Figs. 3, 9, 11. Nageiopsis crassicaulis. Fig. 4. Nageiopsis hoterophylla. Fig. 5. Phyllocladopsis heterophylla. Fig. 6. Nageiopsis microphylla. Fig 7. Zamites tenuinervis. Fig. 12. Zamites ? sp. undet. Fig. 13. Zamites subfalcatus. LXXXV. Figs. 1, 2, 8, 9. Nageiopsis longifolia. Fig. 3. Zamites subfalcatus. Fig. 4. Zamites ovalis. Fig. 5. Feildeniopsis crassinervis. Fig. 6. Nageiopsis inæquilateralis. Fig. 7. Nageiopsis obtusifolia, Figs. 10, 15. Podozamites aentifolius. Fig. II. Nagoiopsis acuminata. Figs. 12, 16. Podozamites distantinervis. Fig. 13. Arancaria obtusifolia, Fig. 14. Nageiopsis microphylla. LXXXVI. Figs. 1-3, 5. Nageiopsis microphylla. Fig. 4. Arancaria podocarpoides. Figs. 6, 7. Nageiopsis heterophylla. Figs. 8, 9. Nageiopsis augustifolia.

PLATE LXXXVII. Fig. 1. Podozamites acutifolius. Figs. 2-6. Nageiopsis augustifolia.

LXXXVIII. Figs. 1, 3, 4, 6-8. Nagciopsis augustifolia. Figs. 2, 5. Nagciopsis heterophylla.

LXXXIX. Figs. 1, 3. Baieropsis expansa. Fig. 2. Nagciopsis angustifolia. Fig 4. Baieropsis pluripartita.

XC. Fig. 1. Baieropsis expansa. Figs. 2-5. Baieropsis pluripartita. Fig. 6. Baieropsis macrophylla.

XCI. Figs. 1, 3, 4, 7. Baieropsis pluripartita. Fig. 2. Baieropsis expansa. Fig. 5. Baieropsis pluripartita, var. mi-

> nor. Fig. 6. Baieropsis longifolia.

XCII. Figs. 1, 2, 6. Baieropsis pluripartita.
Figs. 3, 4. Baieropsis pluripartita, var.
mmor.

Fig. 5. Baieropsis expausa
Fig. 7. Baieropsis denticulata, var. angustifolia.

Figs. 8, 9. Baieropsis adiantifolia. XCIII. Figs. 1-3. Baieropsis adiautifolia.

Figs. 4-6. Baieropsis foliosa.
Fig. 7. Baieropsis deuticulata.

XCIV. Fig. 1. Baieropsis adjuntifolia var mi

XCIV. Fig. 1. Baieropsis adiantifolia, var. minor. Figs. 2, 3. Baieropsis adiantifolia.

Fig. 4. Aerostichopteris deusifolia.
Figs. 5, 9, 10, 12. Aerostichopteris parvifolia.

Figs. 6, 7, 11, 14. Aerostichopteris parcelobata.

Fig. 8. Aerostichopteris evelopteroides.

Fig. 8. Acrostichopteris eyelopteroides. Fig. 13. Baiera multifolia.

XCV. Figs. 1-5. Freuelopsis ramosissima. XCVI. Figs. 1-3. Freuelopsis ramosissima.

XCVII. Figs. 1-6. Frenelopsis ramosissima. XCVIII. Figs. 1-6. Frenelopsis ramosissima.

XCIX. Figs. 1-4. Frenelopsis ramosissima.
C. Figs. 1-3. Frenelopsis ramosissima.
Fig. 4. Brachyphyllum crassicanle.

CI. Fig. 1. Frenclopsis ramosissima. Figs. 2, 3. Leptostrobus longifolius.

Figs. 2, 3. Leptostrobus longifolius.
 Fig. 4. Leptostrobus foliosus.
 CII. Figs. 1-4. Leptostrobus longifolius.
 Figs. 5, 6. Laricopsis brevifolia.

Figs. 7, 8. Laricopsis longifolia. Figs. 9, 10. Laricopsis augustifolia. CIII. Figs. 1, 4. Laricopsis augustifolia.

Figs. 2, 3. Laricopsis longifolia.
Fig. 5. Leptostrobus foliosus.
Figs. 6-12. Leptostrobus longifolius.

CIV. Fig. 1. Leptostrobus foliosus.
Figs. 2, 3. Cephalotaxopsis ramosus.
Figs. 4, 5. Cephalotaxopsis magnifolia.
Fig. 6. Leptostrobus longifolius.

CV. Figs. 1, 2, 4. Cephalotaxopsis magnifolia. Fig. 3. Cephalotaxopsis brevifolia.

CVI. Figs. 1, 3. Cepbalotaxopsis magnifolia. Figs. 2, 4. Cephalotaxopsis ramosa. Fig. 5. Cepbalotaxopsis brevifolia.

CVII. Figs. 1, 2, 4. Cephalotaxopsis magnifolia. Fig. 3. Cephalotaxopsis ramosa. Fig. 5. Cephalotaxopsis brevifolia.

CVIII. Figs. 1, 3, 4. Cepbalotaxopsis roagnifolia. Fig. 2. Cephalotaxopsis ramosa. PLATE CVIII. Fig. 5. Cepbalotaxopsis microphylla.

CIX. Figs. 1-7. Brachyphyllum crassicaule. Fig. 8. Torreya Virginica. Fig. 9. Cephalotaxopsis microphylla.

CX. Figs. 1-3. Brachyphyllum crassicaule. Fig. 4. Brachyphyllum parceramosum.

CXI. Figs. 1-5. Fronelopsis parceramosa. Figs. 6, 7. Brachyphyllnm crassicanle.

CXII. Figs. 1-5. Frenclopsis parceramosa. Figs. 6-8. Brachyphyllum crassicaulo.

Figs. 9-11. Sequoia cycadopsis. CXIII. Figs. 1-3. Sequoia cycadopsis.

Fig. 4. Torreya falcata. Figs. 5, 6. Atbrotaxopsis expansa.

CXIV. Figs. 1-3. Athrotaxopsis grandis. Figs. 4, 5. Athrotaxopsis tenuicaulis.

CXV. Figs. 1, 3. Athrotaxopsis pachyphylla. Fig. 2. Athrotaxopsis expansa. Fig. 4. Athrotaxopsis tenuicaulis.

CXVI. Figs. 1-4. Athrotaxopsis grandis. Fig. 5. Athrotaxopsis expansa. Fig. 6. Athrotaxopsis tennicaulis. Fig. 7. Sequoia, sp. undet.

CXVII. Figs. 1.3-5. Athrotaxopsis pachyphylla. Fig. 2. Athrotaxopsis tenuicanlis. Fig. 6. Athrotaxopsis expansa. Fig. 7. Sequoia subulata.

Fig. 8. Sequoia Reichenbachi, var. longifolia.

CXVIII. Figs. 1,4. Soquota Reichenbachi. Fig. 2. Sequota ambigua. Fig. 3. Sequota rigida. Fig. 5,6. Soquota subulata. Fig. 7. Sphenolepidinm Sterubergianum, var.

densifolium. CXIX, Figs. 1-5. Seguoja Reichenbachi.

CXX. Figs. 1-6. Sequoia ambigua. Figs. 7, 8. Sequoia Reichenbachi.

Fig. 9. Sequoia, sp. undet. CXXI. Fig. 1. Araucaria zamioides. Fig. 2. Sequoia rigida,

Fig. 3. Sequoia delicatula. Fig. 4. Sequoia densifolia.

Figs. 5, 7, 9. Sphenolepidium Sternbergiannm, var. densifolium. Fig. 6. Taxodium (Glyptostrobus) Virgini-

cum.
Figs. 8, 10, 11. Sphenolepidium Sternberg-

ianum.
CXXII. Fig. I. Taxodium (Glyptostrobus) Brookense.
Fig. 2. Sequoia Reichenbachi.

CXXIII. Fig. 1. Taxodium (Glyptostrobus) expansum. Figs. 2, 3. Taxodium (Glyptostrobus) ramo-

sum.

CXXIV. Fig. 1. Taxodium (Glyptostrobus) deuticulatum.

Fig. 2. Taxodium (Glyptostrobus) ramosum.
Figs. 3-9. Taxodium (Glyptostrobus) Brookense.

CXXV. Figs. 1, 3. Taxodinm (Glyptostrobus) fastigi atnm.

Fig. 2. Spheuolepidium Sternbergianum, var. densifolium.
Fig. 4. Sphenolepidium Virginicum.

CXXVI. Figs. 1, 5, 6. Sphenolepidium Kurrianum. Fig. 2. Sequoia rigida. Figs. 3, 4. Sequoia gracilis.

CXXVII, Fig. 1. Taxodium (Glyptostrobus) 1amosum.

PLATE CXXVII. Fig. 2. Sphenolepidium recurvifolium. PLATE CXXXVI. Fig. 9. Carpolithus sessilis. Figs. 3, 4. Sphenolepidium dentifolium. Figs. 10, 11. Leptostrobus, sp. uadet. Fig. 5. Sequoia ambigua. Fig. 12. Cycadeospermum rotnodatum. CXXVIII. Figs. 1, 7. Sphenolepidium Kurrianum, Figs. 13, 14. Undetermined plants. Figs. 2-6. Sphenolepidium dentifolium. Fig. 15. Carpolithus mucronatus. CXXIX. Figs. 1, 2, 4, 6, 8. Sphenolepidium Kurri CXXXVII, Figs. 1-5. Undetermined plants. anna. Fig. 6. Acaciæphyllum longifolium, Fig. 3. Sphenolepidium Sterubergianum, CXXXVIII. Figs. 1-3. Acacia:phyllum lougifolium. var. densifolium. Figs. 4, 6-9. Acaciephyllum spatulatum-Fig. 5. Sphenolepidinus dentifolium. Fig. 5. Acaciephyllum microphyllum. Fig. 7. Sphenolepidium parceramosum. Figs. 10-12. Cteuis imbricata. CXXX. Fig. 1. Sphenolepidium Sternbergianum, Fig. 13. Sagenopteris Virgioieosis. var. densifolium. Fig. 14. Conospermites ellipticus. Figs. 2, 7. Spheaolepidium recurvifolium. CXXXIX. Fig. 1. Sagenopteris Virginiensis. Fig. 3. Sequoia rigida. Fig. 2. Protempbyllnm, sp. undet. Figs. 4-6, 10. Sphenolepidium dentifolium. Fig. 3. Protemphyllum regiforme. Fig. 8. Sphenolepidium parceramosum. Fig. 4. Proteaphyllum orbiculare. Fig. 9. Sphenolepidium Sternbergianum. Fig. 5. Proteæphyllum oblougifolium. Fig. 11. Sphenolepidium Kurrianuoi. Fig. 6. Rogersia longifolia. CXXXI. Figs. 1,3. Sphenolepidium Sternbergianum, Fig. 7. Sassafras parvifelium. var. densifolium. CXL. Figs. 1. 2. Protemphyllum oblongifolium-Fig. 2. Sphenolepidium parceramosum. Fig. 3. Ficophyllum tenuinerve. Fig. 4. Sphenolepidium Korrianum. CXLI. Fig. 1. Protemphyllum ovatum. Fig. 5. Taxodium (Glyptostrobus) Brook-Fig. 2. Ficophyllum tenuinerve, CXLII. Figs. 1, 2. Protemphyllum ellipticum. ense. Figs. 6, 7. Sphenolepidium pachyphyllum. CXLIII. Figs. 1, 3. Ficus Virgioicosis. CXXXII. Fig. 1. Taxodium (Glyptostrobus) ramo-Fig. 2. Rogersia augustifolia. CXLIV. Fig. 1. Ficus Virginionsis. Figs. 2, 5, 6. Sequoia, sp. undet. Fig. 2. Rogersia longifolia. Fig. 3. Sequoia ambigua. Fig. 3. Ficophyllum crassinerve. Fig. 4. Sphenolepidium Sternbergianum, CXLV. Figs. 1, 4. Ficophyllum tenuinerve. var. densifolium. Fig. 2. Ficophyllum serratum. Fig. 7. A hietites macrocarpus. Fig. 3. Ficophyllum crassiuerve. Figs. 8, 9. Abietites ellipticus. CXLVI. Fig. 1. Ficophyllum crassiverve. Fig. 10. Sequoia, sp. undet. Figs. 2, 4. Saliciphyllum ellipticum. CXXXIII. Fig. 1. Abietites angusticarpus. Fig. 3. Celastrophyllum arcinerve. Figs. 2-4. Abietites ellipticus. Fig. 5. Celastrophyllam proteoides. Figs. 5-7. Williamsonia Virginiensis. CXLVII. Fig. 1. Sapindopsis cordata. Fig. 2. Ficophyllum tenuinerve. Figs. 8-12. Araucarites Aquiensis. CXXXIV. Fig. 1. Carpolithus fasciculatus. Fig. 3. Sapindopsis elliptica. Figs. 2-4, 6, 8. Carpolithus ternatus. Fig. 4. Ficophyllum crassinerve. Fig. 5. Carpolithus agglomeratus. CXLVIII. Figs. 1, 2, 4. Ficophyllum crassinerve. Fig. 7. Araucarites Virginicus. Figs. 3, 5. Ficus Fredericksburgensis. Fig. 9. Carpoli thus conjugatus. CXLIX. Figs. 1, 3, 5. Ficophyllum tenuinerve. Fig. 2. Phyllites pachyphyllus. Fig. 10. Carpolithus geminatus. Figs. 11-14. Carpolithus Virgioiensis. Figs. 4, 8. Rogersia augustifolia. CXXXV. Figs. 1, 5. Carpolithus Virginiensis. Figs. 6, 7. Quercophyllum teuuinerve. Figs. 2, 4, Carpolithus Brookensis. Fig. 9. Ficopbyllum serratum. CL. Fig. 1. Rogersia lougifolia. Fig. 3. Carpolithus latus. Figs. 2-7. Rogersia angustifolia. Fig. 6. Leptostrobus, sp. undet. Fig. 8. Salieiphyllum ellipticum. Fig. 7. Ament of conifer. Figs. 9, 10. Vitiphyllum (Cissites) crassi-Fig. 8. Brachyphyllum, sp. undet. Fig. 9. Brachyphyllum, sp. uodet. folium. Fig. 11. Myrica Brookensis. Fig. 10. Athrotaxopsis grandis. Fig. 12. Saliciphyllum loogifolium. Figs. 11. 21. Cycadeospermum spatulatum. Fig. 13. Proteaphyllum teauinerve. Fig. 12. Cycadeospermum acutum. CLI. Fig. 1. Sapindopsis variabilis. Fig. 13. Cycadeospermum obovatum. Figs. 2, 3. Sapindopsis magnifolia. Fig. 14. Capsules, sp. undet. Fig. 4. Bombax Virginieusis. Figs. 15, 18, 22. Athrotaxopsis expausa. Fig. 16. Ament of angiosperm !. CLII, Figs. 1, 4. Sapindopsis variabilis. Figs. 2, 3. Sapindopsis magnifelia. Fig. 5. Sassafras cretaceum, var. heterolo-Fig. 17. Carpolithus carvatus. Fig. 19. Cycadeospermum ellipticum. Fig. 20. Cycadeospermum augustum. bum. CXXXVI. Fig. 1. Macrospores, sp. undet. CLIII. Fig. 1. Sapiudopsis tenuinervis. Figs. 2-5, 8. Aments of conifers, sp. undet. Fig. 2. Sapindopsis magnifolia. Fig. 6. Carpolithns Brookensis. Fig. 3. Sapiudopsis variabilis.

Fig. 7. Pollen sacs, sp. undet.

Fig. 4. Sapiudopsis brevifelia.

LATE CLIV.	Figs. 1, 5. Sapindopsis magnifolia.	PLATE CLXVI. Fig. 5.
	Figs. 2-4. Sapindopsis variabilis.	Fig. 6.
27.77	Fig. 6. Sapindopsis parvifolia.	CLXVII. Fig. 1.
CLV.	Figs. I, 7. Sapindopsis brevifolia.	евзе
	Figs. 2-5. Sapindopsis variabilis.	Fig. 2.
	Fig. 6. Sapindopsis magnifolia. Fig. 8. Ulmiphyllum Brookeuse.	Fig. 3.
	Fig. 9. Populophyllum reniforme.	ense. Fig. 4,
CLVI	Fig. 1. Ficophyllum tonumerve.	Fig. 5.
CL 11.	Fig. 2. Protemphyllum tenuinerve.	Fig. 6.
	Fig. 3. Populophyllum reniforme.	CLXVIII. Fig. I.
	Fig. 4. Protemphyllum reniforme.	Fig. 2.
	Fig. 5. Celastrophyllum obtusidens.	Fig. 3.
	Fig. 6. Myracæpbyllum dentatum.	folius
	Fig. 7. Proteaphyllum dentatum.	Fig. 4.
	Fig. 8. Celastrophyllum acutidens.	Figs. 5,
	Fig. 9. Quercophyllum grossedentatum.	Fig. 7.
	Fig. 16. Myrica Brookensis.	Fig. 8.
	Fig. 11. Araliæphyllum aceroides.	Fig. 9.
	Fig. 12. Sassafras bilobatum.	CLXIX. Fig. 1.
	Fig. 13. Sapindopsis obtusifolia.	Fig. 2.
CLVII.	Figs. I, 7. Aralia dubia.	Fig. 3.
	Fig. 2. Sterculia elegans.	Figs. 4,
	Figs. 3, 5, 6. Juglandiphyllum integrifolium.	Figs. 6,
	Fig. 4. Ficophyllum crassinerve.	Fig. 8.
CLVIII.	Fig. 1. Ulmiphyllum tenuinerve.	Fig. 10.
	Figs. 2, 3. Sterculia elegans.	CLXX. Fig. 1.
	Fig. 4. Populophyllum crassinerve. Fig. 5. Platauophyllum crassinerve.	Fig. 2.
	Figs. 6, 7. Ulmiphyllum crassinerve.	Fig. 3.
	Fig. 8. Celastrophyllum Brookense.	Fig. 4. Figs. 5,
CUIX	Figs. 1, 2. Rogersia longifolia.	Figs. 7.
Carin	Figs. 3-6. Sapindopsis obtusifolia.	Fig. 8.
	Fig. 7. Celastrophyllum Brookense.	Fig. 9.
	Fig. 8. Sassafras cretaceum, var. beterolobum.	Fig. 10.
	Figs. 9, 10. Araliæphyllum magnifolium.	Fig. 11.
CLX.	Figs. I, 2. Protemphyllum reniforme.	CLXXI. Figs. 1,
	Figs. 3-6. Aristolochiæphyllum crassinerve.	Figs. 2.
CLXI.	Figs. 1, 2. Menispermites Virginiensis.	Figs. 3,
CLXII.	Fig. 1. Hederæphyllum angulatum.	CLXXII. Figs. 1,
	Fig. 2. Araliæphyllum aceroides.	, Fig. 2.
	Fig. 3, Hederæphyllam crenulatum.	Figs. 3,
	Fig. 4. Eucalyptophyllum oblongifolium.	Fig. 5.
CLXIII.	Figs. 1, 4. Araliæphyllum obtusilohum.	Fig. 7.
	Fig. 2. Araliæphyllum acutilobum.	Fig. 8.
	Fig. 3. Sapindopsis brevifolia.	Figs. 9,
	Fig. 5. Saliciphyllum ellipticum,	Figs. 11
	Fig. 6. Hymeuæa Virginiensis. Fig. 7. Ulmiphyllum Brookense.	lium.
	Fig. 8. Aceriphyllum aralioides.	Fig. 13.
CLVIV	Figs. 1, 2. Ficophyllum eucalyptoides.	Fig. 14. CLXXIII. Figs. 1
CLIEFT.	Fig. 3. Araliæphyllum obtusilobam.	dum
	Fig. 4. Sassafras bilobatum.	CLXXIII. Fig. 10.
	Fig. 5. Sassafras cretacenm, var. heterolohum,	Fig. 11.
CLXV.	Figs. 1-3. Taxodium (Glyptostrobus) Brook-	Figs. 12
	ense.	Fig. 13.
	Fig. 4. Laricopsis longifolia.	CLXXIV. Tysoni
	Fig. 5. Williamsonia Virginiensis.	CLXXV. Tysoni
	Fig. 6. Leptostrobus multiflorus.	CLXXVI. Tysom
CLXVI.	Fig 1. Taxodium (Glyptostrobus) ramosum.	CLXXVII. Tysoui
	Fig. 2. Saliciphyllum ellipticum.	CLXXVIII, Tysovi
	Fig 9 Popularhellum h. dorosforme	OF Travers In .

Fig. 3. Populophyllum he deræforme.

ense.

Figs. 4, 7. Taxodium (Glyptostrobus) Brook-

```
Sphenolepidium Virginicum.
                     Taxodium (Glyptostrobus) Brook-
                    , var. augustifolium.
                    Sphenolepidium Kurrianum.
                     Taxodium (Glyptostrobus) Brook-
                   Phyllodadopsis heterophylla.
                    Sequoia Reichenbachi.
                    Carpolithus Brookcusis.
                    Frenelopsis parceramosa.
                    Brachyphyllum, sp. undet.
                     Dioguites Buchianus, var. obtusi-
                   Nageiopsis subfalcata.
                    6. Laricopsis longifolia.
                    Carpolithus Virginieusis.
                    Abietites ellipticus.
                    Brachyphyllum crassicaule.
                    Thinnfeldia granulata.
                    Cladophlebis constricta.
                    Pecopteris Virginieusis.
                   5, 9. Undetermined stems.
                    7. Thyrsopteris rarinervis.
                   Callitris, sp_undet.
                    Celastrophyllum denticulatum.
                    Thyrsopteris divaricata.
                    Podozamites acutifolius.
                    Zamites ovalis.
                   Pinus, sp. undet.
                    6. Pecapteris strictinervis.
                    Acaciæphyllum variabile.
                    Rhizome of Equisetum, sp. undet.
                    Podozamites subfalcatus.
                    Acrostichopteris lougipennis.
                    Acrostichapteris densifolia.
                    5, 7. Acrostichopteris longipennis.
                   6. Acrostichopteris densifolia.
                   4. Acrostichopteris parvifolia.
4. Protemphyllum dentatum.
                   Celastrophyllum tenuinerve.
                    6. C. lastrophyllum latifolium.
                    Saliciphyllum parvifolium.
                    Celastrophyllum denticulatum.
                    Menispermites tenuinervis.
                   10. Celastrophyllum obovatum.
                    Acrostichopteris densifolia.
                     Acrostichopteris parvifolia.
                   1-9. Vitiphyllum (Cissites) multifi-
                    Ficophyllum crassinerve.
                    Undetermined plant.
                   2, 14. Proteaphyllum dentatum.
                    Celastrophyllum latifolium.
                   ia Marylandica.
                   ia Marylandica.
                   ıa Marylandica.
                   ia Marylandica.
CLXXVIII, Tysovia Marylandica.
 CLXXIX. Tysonia Marylandica.
  CLXXX, Tysonia Marylandica.
```

Cladophlebis acuta.

PLATES.



PLATE I.

PLATE I.

Figs. 1-	6, 8. Equisetum Virginicum, sp. nov
	1. Much-branched form of average dimensions
	1º. Magnified portion, to show normal form of teeth
	1b. Magnified portion, to show a blunter form of teeth
	1c. 1s 1a still more magnified and more diverging at the summit than the normal form.
	2. One of the smallest branches seen
	3. Three branches, probably primary, with many secondary ones
	4. Several large primary? branches
	5. Primary? branch, with a branching secondary?
	6. Profusely branching secondary? branch
	8. Form showing curious and copious branching
Fig.	7. Equisetum Lyelli Mantell
	7. Probably E. Lyelli Mantell, partially decorticated






PLATE II.

PLATE II.

		Page.
Figs. 1-3	7, 9. EQUISETUM VIRGINICUM, sp. nov	63
	1, 3. Apparently portions of the main stem, showing six teeth	63
	2, 9. Apparently portions of rhizomes, with imperfect buds	63
	6. Large, much-branched primary? branch	63
	7. Distorted irregularly branching form	63
Fig.	4, 5. EQUISETUM LYELLI Mantell	65
	4. Fragment of a small stem	65
	5. Several fragments probably of the same plant	65
	8. Rhizome? of undetermined Equisetum.	65
	8a. Portion of 8 magnified	65
Fig.	10. Equisetum Marylandicum, sp. nov	65
	10. Portion of a branching stem	65
	10°. Portion of a branch magnified to show the sheath	65
Fig.	11. Cladophlebis constricta, sp. nov	68
2 201	11. Probably the npper part of the frond	68
	11s. Pinna from the lower part of the specimen, magnified to show details of nervation	68
	11b. Magnified pinna or pinnule from the upper portion of the specimen	68






PLATE III.

PLATE III.

		Page
Fig.	1. Cladophlebis latifolia, sp. nov	69
	1. Upper part of a frond or compound piuna	69
	1 ^a . Pinnule from the lower part of 1 magnified to show nervation	69
	1b. Pinnule from the upper part of 1 magnified to show nervation	69
Fig.	2. Cladophlebis constricta, sp. nov	68
	2. Portion of a compound piuna	68
Figs.	3-8. Cladophlebis Virginiensis, sp. nov	70
	3. Fragment of a large compound pinna or of the frond	7 (
	4. Portion of an ultimate pinna	70
	4ª. Pinnule of 4 magnified to show nervation	70
	5. Fragment of a pinna with opposite pinnules	70
	5a. Pinnule of 5 magnified to show nervation	70
	6. Portion of a compound pinna? with short pinnules	70
	7. Fragment of a pinna with somewhat abnormal pinnules	70
	7º. Pinnule of 7 magnified	70
	8. Fragment of a pinna with much-branched nerves	70
	8a. Pinnule of 8 magnified to show nervation.	70






PLATE IV.

mon xv---25

PLATE IV.

Figs.	1, 3-6.	CLADOPHLEBIS VIRGINIENSIS, sp. nov
	1.	Small form, probably from the upper part of the frond
	1ª.	Pinnule of 1 magnified to show nervation
	3.	Abnormal form, possibly not C. VIRGINIENSIS
		Portion of 3 magnified
	4.	Portion of an ultimate pinna with obtuse pinnules and a rachis with marginal ridges.
	4ª.	Pinnules from the lower part of 4, magnified
		Pinnules from the upper part of 4, magnified
		Portions of pinnæ with undulate pinnules
Fig.	2.	CLADOPHLEBIS DENTICULATA, sp. nov
		Fragments of two pinne
		Pinnule of 2 magnified to show nervation
FIG.	7.	CLADOPHLEBIS PARVA, Sp. nov
	7.	Probably the upper portion of a compound pinna
		Piunule of 7 magnified
FIG.	8.	CLADOPHLEBIS FALCATA, Sp. nov
	8.	Portion of an ultimate pinna with undulate margins
		Pinnule of 8 magnified






PLATE V.

PLATE V.

		Page.
Figs. 1-6.	CLADOPHLEBIS FALCATA, Sp. nov	72
1.	Portion of the frond or of a compound pinna	72
1ª.	Pinnule of 1 magnified to show nervation	72
	Terminal portion of an ultimate piuna	72
	Pinnules with undulate margins, probably from the upper part of the frond	72
4.	Similar to 3	72
4a.	Pinnule of 4 magnified to show nervation	72
	Tip of an ultimate pinna with obtuse pinnules; possibly this is a different plant	72
	Pinunle of 5 magnified to show nervation.	72
	Fragment of a pinnule	72
	Fragment 6 magnified to show nervation	72
	CLADOPHLEBIS ACUTA, Sp. nov	74
	Ultimate pinna with unusually large pinnules	74
	Pinnule of 7 magnified to show nervation.	74
70	Figure of a magnified to show her addresses	






PLATE VI.

PLATE VI.

Figs.	1-3.	CLADOPHLEBIS PARVA, sp. nov
	1.	Upper part of a compound pinna or of the frond
	1ª.	Portion of 1 magnified to show nervation
		Probably a portion of the middle part of a compound pinna or of the frond.
	2ª.	Pinnules of 2 magnified to show nervation
	3.	Largest fragment seen, probably a compound pinna
	3ª.	Pinnules of 3 magnified to show usrvation
Fig.	4.	CLADOPHLEBIS LATIFOLIA, sp. uov
	4.	Probably a portion from the summit of the frond or of a compound pinua
Figs.	5, 6, 8-14.	Cladophlebis constricta, sp. nov
		Pinna or pinnnle with undulate margins from near the summit of the froud or of a compound pinna
	5ª,	Pinna 5 magnified to show nervation
		Upper part of the frond or of a compound pinna
		Pinnules of 6 magnified to show nervation
		Summit of an ultimate pinua
	8ª.	Pinnule of 8 magnified to show nervation
	9.	Abnormal pinnules unusually remote; possibly a different plant
		Pinnule of 9 magnified to show nervation
	10.	Summit of the frond or of a compound pinna
	11.	Upper portion of a comparatively large compound pinna or of the frond
	11a.	Piunules from the lower part of 11
	11b	Pinnules from the upper part of 11 magnified to show nervation
	12, 13, 14	Somewhat abnormal forms; possibly representing a different plant from 11
Fig.	7.	CLADOPHLEBIS FALCATA, sp. nov
		Piuna with pinnules of the largest size
	Pro.	Desting of a simula of 7 magnified to show pervetion






PLATE VII.

PLATE VII.

Figs.	 CLADOPHLEBIS FALCATA, sp. nov Ultimate pinna with large and very obtuse pinnules, probably from the upper part of the frond. Pinnule of 1 magnified to show nervation Probably a portion of a compound pinna, with somewhat abnormal pinnules; possibly a distinct species. Pinnule of 2 magnified to show nervation
Figs.	3-5. CLADOPHLEBIS OBLONGIFOLIA, Sp. nov. 3. Ultimate pinna with entire pinnules. 3. Pinnule of 3 slightly magnified to show nervation 4. Pinnules of form from Fredericksburg slightly magnified. 5. Pinna with crenulate pinnules 5. Portion of a pinnule of 5 magnified to show nervation.
F1G.	6. CLADOPHLEBIS ACUTA, sp. nov. 6. Portion of an ultimate pinna 6. Pinnule of 6 magnified to show nervation.
Fig.	7. CLADOPHLEBIS DENTICULATA, Sp. nov 7. Portion of an ultimate pinna 7°. Pinnule of 7 magnified to show nervation
Figs.	8-11. ANGIOPTERIDIUM AURICULATUM, sp. nov 8. Probably a portion of a compound pinna 9. Probably a portion of a compound pinna showing keeled rachis 10. Portion of a pinnule 10a. Nerves from the lower part of 10 magnified 10b. Nerves from the upper part of 10 magnified 11. Portion of a pinnule showing nerves








PLATE VIII.

		Page.
Figs. 1-7.	PECOPTERIS VIRGINIENSIS, sp. nov	82
	Pinna with unusually long pinnules, from Fredericksburg	82
	Piunule of 1 magnified to show nervation	83
	A compound pinna, or a part of the frond, from road-side near Potomac Run	82
2ª.	Portion of a pinnule from the lower part of the specimen magnified	82
2b.	A pinnule from the upper part magnified	82
3.	Pinna from Fredericksburg	82
3a.	Pinnule of 3 magnified to show nervation.	82
	Piuna from Fredericksburg	82
	Upper portion of a pinna from 72d mile-post, near Brooke	82
	Pinna from road-side near Potomac Run	82
7.	Piuna from road-side near Potomac Run	82
79	Pinnula of the same magnified to show nervetion	89

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE VIII






PLATE IX.

PLATE IX.

		Page
Figs. 1-6.	Pecopteris Virginiensis, sp. nov	8
1.	Compound pinna from Fredericksburg	8
1ª.	Pinnnle of 1 magnified to show nervation	8
2.	Pinna from fishing hnt above Dutch Gap Canal	8
	Pinnule of 2 magnified to show nervation	8
	Pinna from red clay ball in Dutch Gap Canal	8
	Pinna from fishing hut above Dutch Gap Canal	8
	Pinna from road-side near Potomac Run	8:
	Pinna from fishing hut above Dutch Gap Canal	8
	•	~
	CLADOPHLEBIS CRENATA, Sp. DOV	7
7.	Portion of the frond or of a primary pinna	7
7ª.	Pinnule of 7 magnified to show nervation.	7
	Portion of the frond or of a primary pinna	7
	Pinules of 8 magnified to show nervation	7
	Portion of an ultimate pinna, with unnsually broad piunules	7
υ.	1 of the of the diffinate present with the desired present pre	






PLATE X.

PLATE X.

		Page
Figs. 1, 2.	CLADOPHLEBIS CRENATA, sp. nov	75
1.	Portion of the frond or of a compound pinna	75
1ª.	Pinnule of 1 magnified to show nervation	75
	Portion of the frond, or of a compound pinna, with opposite pinna; possibly a dis-	
	tinct species	75
-9a	Pinnule from the upper part of 2 magnified.	75
Figs. 3, 4.	CLADOPHLEBIS INCLINATA, sp. nov.	70
	Portion of the frond, or of a compound pinna, with small pinnules, showing opposi-	
	tion of pinnæ	76
30	Pinnule of 3 magnified to show nervation.	76
	Portion of the frond or of a compound pinna	70
Figs. 5, 8.	Cladophlebis, sp. ?	70
5, 8.	Fragments of ultimate pinne, showing in the pinnules no lateral nerves	77
5a.	An enlarged pinnnle of 5	67
	CLADOPHLEBIS ACUTA, sp. nov	40
	Several detached pinnæ	74
6a.	Pinnule of the same magnified to show nervation	74
7.	Pinna showing abnormal lateral nerves in the pinnules	74
	Pinnule of 7 magnified to show nervation	74
	ASPLENIUM DUBIUM, sp. nov. ?	109
9.	Small fragment of an ultimate pinna, a pinnule of which is magnified in 9a	109








PLATE XI.

Figs.	1–6.	ASPIDIUM FREDERICKSBURGENSE, Sp. nov
	1.	Portion of a compound pinna or of the frond
		Pinnule of 1 magnified to show the nervation
		Portion of an nltimate pinna showing sori
		Pinnule of 2 magnified to show the sori
		A sorus still more magnified
		Fragment of a very long ultimate pinna
		Magnified piunule of 3
		Fragment of an ultimate pinna with distant pinuules
		Pinnule of 4 magnified
		Fragments of ultimate pinnæ with entire margins
		Fragment showing unusually small pinnules
		Pinnule of 6 magnified to show nervation
Figs.	7. 8.	CLADOPHLEBIS ACUTA, sp. nov
1 100.		A form with unusually long and slender pinnules
		Pinnule of 7 magnified to show nervation
		Portion of the frond or of a compound pinna
		Magnified pinnule of 8






PLATE XII.

PLATE XII.

	Pag
Figs. 1-6. Aspidium Fredericksburgense, sp. nov	
1. Portion of the frond, or of a very large compound pinna	
1 ^a . Magnified pinnule from the lower part of 1, showing nervation	
2. Portion of a compound pinna from the lower part of the frond, showing lobed and toothed pinnules	
2. Magnified pinnules of 2.	
3. Fragment of a large pinna, or of the frond, showing toothed pinnules	
3a. Magnified pinnules of 3	
4. Fragment of an ultimate pinna with nnusually large toothed pinnules	
4 ^a . Magnified pinnule of 4	
5. Fragment of an ultimate pinua with broad crenate pinules	
5°. Magnified pinnule of 5, showing nervation	
6. Fragment of a pinna with nnusually long crenate pinnules, probably from the upper part of the frond	
6a. Pinnule of 6 magnified to show nervation	






PLATE XIII.

PLATE XIII.

	CLADOPHLEBIS CRENATA, sp. nov
	Pinna with rather large, deeply lobed pinnules
	Pinnule of I magnified, to show nervation
	Small piunules from the upper part of the frond
	Pinnule of 2 magnified.
3.	Portion of a piuna
3a.	Piunule of 3 magnified
Figs 4.5	Cladophlebis distans, sp. nov
	Portion of a compound pinna or of the frond
	Pinnules of 4 magnified.
	Detached pinne
	Pinnules of 5 magnified
	PECOPTERIS STRICTINERVIS, Sp. DOV
	Portion of a compound pinna with somewhat abnormal pinnules and nervation
	Magnified pinnules of 6
	Portion of a compound pinna with denticulate pinnales
	Magnified pinnules of 7
	Portion of a pinna from the lower part of the frond
8ª.	Magnified pinnules of 8
Figs. 9.10.	ASPIDIUM ELLIPTICUM, sp. nov
	Portion of a compound pinna or of the frond
	Magnified base of a pinnule
	Magnified pinnule with sori
	Sorus still more magnified, giving indication of sporangia around the margin
	Portion of a pinna of probably the same plant as 9, probably the upper part, from
10.	bank near Brooke.






PLATE XIV.

PLATE XIV.

	Pa
Figs. 1-5. Aspidium heterophyllum, sp. nov	
1. Fragment of a large primary pinna or of the frond	
la. Ultimate pinna of 1, from the lower part of a secondary pinna, magnified to show	
nervation	
1b. Magnified pinna or pinnule from higher np on the secondary pinna	
Ic. Magnified pinnnle from near the summit of the secondary pinna	
1d. Magnified pinoule from the summit of the secondary pinna	
2. Portion of a large secondary pinna.	
3. Summit of a secondary pinna	
4. Portion of an ultimate pinna.	
4 ^a . Magnified pinnules of 4	
5. Portion of the summit of a primary pinna or of the frund	



PLATE XV.

PLATE XV.

IGS.	1-5. ASPIDIUM HETEROPHYLLUM, sp. nov.
	1. Portion of a fructified ultimate pinna
	1°. Magnified pinnule of 1, to show sori and nerves
	2. Portion of the upper part of a primary pinna or of the frond
	3. Portion of a secondary pinna
	3º. Pinnules of 3 magnified
	4. Portion of a secondary pinna from low down on the plant
	4º. Maguified pinnules of 4
	5. Portion of a fructified secondary pinna
	5a. Pinnules of 5 magnified, to show sori and nervation
IG.	6. CLADOPHLEBIS, species undetermined.
	6. Small fragment of a pinna from bank near Brooke
	6a. Pinnule of 6 magnified
IG.	7. ASPIDIUM VIRGINICUM, Sp. nov
	7. Small fragment of an ultimate pinua
	7°. Magnified pinule of 7
G.	8. Pecopteris ovatodentata, sp. nov
	8. Portion of an ultimate pinna
	8ª. Pinnule of 8 magnified






PLATE XVI.

PLATE XVI.

		Pa
Figs.	1, 3, 8. ASPIDIUM ANGUSTIPINNATUM, sp. nov	
	1. Fragment of an ultimate pinna	
	3. Portion of a large primary pinna, or of the frond, slightly restored.	
	3a. Pinnules from the lower part of 3 magnified	
	3°. Pinnules from the apper part of 3 magnified.	
	8. Portion of an ultimate pinna from hill-side near Potomac Run	
	8a. Pinnule of 8 magnified	
Fig.		
FIG.	2. Aspidium cystopteroides, sp. nov	
	2. Portion of an ultimate pinua	
	2a. Pinnule of 2 magnified, to show sori and nervation	
Figs.	4, 5. Polypodium fadyenioides, sp. nov.	
	4. Portion of a pinnule slightly enlarged, showing the under side	
	4a. A sorus of 4 magnified	
	5. Portion of a pinnule of small size, not enlarged, showing the upper side	
FIG.	6. Aspleniopteris adiantifolia, sp. nov	
	6. Portion of frond, natural size, showing sori-	
	6a. An ultimate pinna enlarged, to show sori	
Fig.	7. ACROSTICHUM CRASSIFOLIUM, sp. nov	
	7. Fragment of a pinnule	
	7°. Fragment 7 magnified	
Fig.	9. Aspidium Fredericksburgense, sp. nov	
	9. Fragment of an ultimate ninna with large sori	







PLATE XVII.

PLATE XVII.

			Page
Fig.	1.	ASPIDIUM ANGUSTIPINNATUM, sp. nov	5
	1.	Parts of a large fructified compound pinna or of the frond	5
	1ª.	Pinnule of 1 magnified, to show sori and nerves	5
Fig.	2.	ASPIDIUM MACROCARPUM, Sp. nov	10
	2.	Portion of a compound pinna, or of the frond, showing only sori and some of the nervs, owing to maceration	10
	2ª,	Pinnule magnified	10
		Sorus still more magnified	10
Figs.	3-7.	THINNFELDIA VARIABILIS, Sp. nov	11
	3.	Upper part of a compound pinna	11
	3ª.	Portion of a pinnule magnified	11
		Portions of several ultimate pinnæ	17
	4a.	Pinnule of 4 magnified to show nervation	11
		Ultimate pinna from the upper part of the frond	11
		Summit of an ultimate pinna	11
	7.	Portion of an ultimate pinna with hroad-toothed pinnules	13






PLATE XVIII.

PLATE XVIII.

Figs.	1-6.	THINNFELDIA VARIABILIS, Sp. DOV	110
		Two compound pinnie	110
		Portion of a lower pinna magnified.	110
		Portion of an upper piuna magnified	110
		Tip of a pinna magnified.	110
		Upper part of a compound pinna.	110
		Pinna of 2 magnified	110
		Portions of two ultimate pinne	110
		Pinna of 3 magnified	110
		Portion of the upper part of a primary compound pinna or of the frond	110
		Portion of the same magnified to show nervation	110
		Upper part of an ultimate pinna	110
		Tip of a pinna from road-side near Potomac Run	110






PLATE XIX.

PLATE XIX.

		Page.
FIG.		75
	1. Portion of an ultimate pinna	78
	1a. Pinnule of 1 magnified	75
Fig.		78
	2. Several detached pinnules	78
	2ª. Portion of a pinnule magnified.	78
Fig.		
rig.		77
	3. Portion of an ultimate pinna.	77
	3. Pinnule of 3 magnified	77
Fig.	4. Aspidium Oerstedi? Heer	99
	4. End of a pinnule	99
	4°. Fig. 4 magnified	99
Fig.		77
	5. Portion of a compound pinua or of the frond	77
	5ª. Portion of a pinnale enlarged	77
77		
FIGS	S. 6, 7. ASPIDIUM FREDERICKSBURGENSE, Sp. nov	94
,	6,7. Portions of compound pinne from different parts of the plant	94
,	6a, 7a. Magnified pinnules of 6, 7	94
FIG.	8. Pecopteris microdonta, sp. nov	85
	8. Portion of a compound pinna or of the frond	85
	8a. Pinnule of 8 magnified	85
Fig.		84
	9. Portion of a compound pinna	84
	9a. Magnified pinnule of 9	84
~		84
FIG.	The state of the country of the state of the	98
	10. Portion of an ultimate pinna	98






PLATE XX.

MON XV-27

PLATE XX.

			Page.
Figs.	1, 2, 4.	PECOPTERIS CONSTRICTA, Sp. DOV	86
	1.	Portion of a primary pinna from probably the middle part of the frond	86
	1ª.	Part of a pinna of 1 magnified, to show nervation	86
	2.	Portion of a compound pinna from probably the middle part of a frond	86
		Portion of probably an ultimate pinna from the lower part of the frond	86
		Portion of a pinnule magnified.	86
	4b.	Tip of a pinnule magnified	86
FIG.	3.	Pecopteris strictinervis, sp. nov	84
	3.	Several detached ultimate pinnæ	84
	3ª.	Piunule of 3 magnified	84
Figs.	5 11	PECOPTERIS MICRODONTA, Sp. nov	85
rius.	5, 11.	Small fragment of an ultimate pinna	85
		Two detached ultimate pinnæ	85
		Pinnule of 11 magnified.	85
_			75
Fig.		CLADOPHLEBIS CRENATA, sp. nov	75 75
		Portion of a compound pinna	75
		Pinnule magnified	
Fig.		Cladophlebis, sp. ?	76
	7.	Portion of au ultimate pinna	76
	7a	Pinnule magnified	76
Fig.	8	. Cladophlebis inclinata, sp. nov	76
	8	Small fragment of an ultimate pinna.	76
		Pinnules of 8 magnified	76
Figs.	0.10	. Cladophlebis rotundata, sp. nov	78
rigs.	9, 10	Part of a primary pinna or of the frond.	78
		Pinnules of 9 magnified.	78
		Tip of a pinna magnified	7
		Portion of an ultimate pinna from the lower part of the frond	71
		Pinpule of 10 magnified.	7






PLATE XXI.

PLATE XXI.

			Page.
		Pecopteris brevipennis, sp. nov	86
1,		Portions of ultimate pinne	86
		Portion of ultimate pinna differing in facies somewhat from 2 and 3	86
		Part of a pinna of 1 magnified.	86 86
		Two pinnules of 2 magnified	86 86
		Portion of a pinnule of 3 magnified	
Fig.		CLADOPHLEBIS SPHENOPTEROIDES, sp. nov	79
		Summit of an ultimate pinna	79
•	4ª.	Pinnule of 4 magnified	79
FIG.	5.	Aspidium oblongifolium, sp. nov	100
		Two detached pinnules	100
Fig.	6	Aspidium parvifolium, sp. nov	100
1 10.		Fragment of an ultimate pinna	100
		Pinnule of 6 magnified, to show nerves and sori	100
		Sorus much magnified	100
T7		9	
FIG.		PECOPTERIS SOCIALIS, Heer	87 87
	1.	Several detached ultimate pinnæ	01
Fig.		Stenopteris Virginica, sp. nov	112
	8,	Several fragments from the upper part of the plant	112
Figs.	9,13	CLADOPHLEBIS CONSTRICTA ?, sp. nov	68
5,	9, 13.	. Small fragments from Deep Bottom of what is probably C. constricta	68
Fig.	10	Pecopteris angustipennis, sp. nov.	87
1 10.		A portion of a pinnule	87
		Lower portion of 10 magnified	87
T		GLEICHENIA NORDENSKIÖLDI? Heer.	119
Fig.			119
		Fragment of a pinna	119
FIG.	12	. Undetermined fern	119
Fig.	14	. Aspidium Virginicum, sp. nov	97
		. Fragment of a compound pinna	97
	14a	. Pinnule of 14 magnified	97
	14b	Portion of 14a still more magnified, to show sori	97
Fig.	15	. Aspidium pinnatifidum, sp. nov	101
	15	Fragment of an ultimate pinna	101
		Pinnula of 15 magnified	101






PLATE XXII.

PLATE XXII.

		ILRIE XXII.	
Figs. 1		ASPLENIOPTERIS PINNATIFIDA, Sp. nov	Page. 118 118
		Pinnule of 1 magnified.	118
		Portion of a compound pinna from the lower part of the frond	118
		Portion of a pinna magnified.	118
	3.	Fragment of a pinnule	118
		Portion of a fertile compound pinna slightly restored	118
		Sori of 6 enlarged	118
		Portion from near the tip of the pinnule enlarged, to show the nerves. Fragment of a pinnule partly fructified	118 118
Figs.	4, 5.	POLYPODIUM DENTATUM, sp. nov	10
		Fragment of a fertile pinna	10
		Portion of 4 magnified	10
		Portions of two sterile pinnæ	10
		Pinnnles of 5 magnified.	
Fig.		CLADOPHLEBIS PETIOLATA, sp. nov	80
		Fragment of an ultimate pinna	8
Fig.		Aspidium Dunkeri Schimper, sp	10
		Magnified pinnule, showing the lower side.	10
		. Magnified pinnule, showing the upper side.	10
Figs.		PECOPTERIS BROWNIANA Dunker	8
1100,		Fragment of compound pinna from Fredericksburg	88
		Fragment of a compound pinna collected by Meek at Baltimore	8
	11a	Pinnnle of 11 magnified	8
Fig.	12	Pecopteris ovatodentata, sp. nov	8
		. Small fragment of an ultimate pinna	8
	12a	. Pinnule of 12 magnified, to show nervation	8
Fig.	13.	Pecopteris strictinervis, sp. nov	8
		End of an ultimate pinna	8
		D:1C 10	0








PLATE XXIII.

T		D	Page
FIG.		PECOPTERIS OVATODENTATA, sp. nov	8
		Several detached ultimate pinnæ	8
	1".	Magnified pinnule of 1, showing nervation	8
Figs.	2-7.	Pecopteris Browniana, Dunker	8
		Summit of a compound pinna slightly restored	88
		Pinnule of 2 magnified	8
		Portion of the upper part of the frond	8
		Lower pinnule magnified	8
		Upper pinnule magnified	8
		Pinnules from the extremity of the pinnæ magnified	8
		Portion of a compound pinna slightly restored	8
		Pinnules from the lower part of 4 magnified	8
		Pinnules from the central part of 4 magnified	8
		Upper part of a compound pinna	8
		Pinnule or pinna magnified	8
		Portions of two detached compound pinnæ	8
		Lower pinnule magnified.	8
		Small fragment of the upper part of a compound pinna	8
		Pinnule magnified	8







PLATE XXIV.

PLATE XXIV.

			P
Fig.		THYRSOPTERIS VIRGINICA, sp. dov	
		Fragment of an ultimate pinna.	
	16.	Fragment 1 magnified	
FIG.	2.	Pecopteris Virginiensis, sp. nov	
		Fragment of an ultimate pinua	
	2ª.	Portion of a pinnule magnified, to show nervation	
FIG.	3.	THYRSOPTERIS ELLIPTICA, sp. nov.	
		Portion of a compound pinna	
		Pinnule of 3 magnified	
Figs.	4.6.7.9	THYRSOPTERIS DENTATA, sp. uov	
		Portion of the summit of a compound pinna.	
		Portion of the lower part of a compound pinna	
		Lower pinnule magnified	
		Upper pincule magnified.	
		Tip of an ultimate pinna.	
		Pinnule magnified	
	9.	Portions of several detached ultimate pinnæ	
	9s.	Lower pinnule magnified	
	9ь.	Upper pinnule magnified	
Figs.	5, 10,	THYRSOPTERIS BREVIFOLIA, Sp. nov	
		Portion of a compound pinna slightly restored	
		Pinnules magnified	
	5a.	From the lower part of the frond	
	5b.	From the middle	
	5c.	From the upper part	
	5d.	Terminal pinnules of a pinna	
	10.	Tip of an ultimate pinna	
Fig.	8.	ASPIDIUM PARVIFOLIUM, Sp. nov	
		Portion of a compound pinna from the upper part of the frond	
		Pinnule magnified	






PLATE XXV.

PLATE XXV.

Figs.	1. 1°. 2.	Thyrsopteris dentata, sp. nov Portion of the upper part of a compound pinna Pinna of 1 magnified Portion of an ultimate compound pinna Pinnule of 2 magnified
Fig.	3.	SPHENOPTERIS THYRSOPTEROIDES, sp. nov. Portion of the upper part of a compound pinna Portion of a pinna magnified.
Figs.	4, 5. 4 ⁿ .	Thyrsopteris Nervosa, sp. nov. Tips of ultimate pinnae Magnified pinnule of 4 Summit of an ultimate pinna
Figs.	6, 7. 6a, 7a 14. 14a 15.	Aspidium dentatum, sp. nov Portions of ultimate pinnæ high np in the frond Pinnnles of 6,7 magnified Portion of a fertile compound pinna Pinnnles of 14 magnified Upper part of a compound pinna Upper pinnules of 15 magnified Upper pinnules of 15 magnified
Fig.		CLADOPHLEBIS INÆQUILOBA, sp. nov. Portion of the upper part of a compound pinna.
FIG.	9.	CLADOPHLEBIS PACHYPHYLLA, sp. nov Upper part of an ultimate pinna Pinnules of 9 magnified.
Fig.		Aspidium parvifolium, sp. nov Fragment of a compound pinna.
Figs.	11, 12.	ASPIDIUM DUNKERI Schimper, sp. Fragments of ultimate pinnæ Pinnule of 11 magnified.
Fig.	13. 13a	OSMUNDA SPHENOPTEROIDES, sp. nov Two detached ultimate pinnæ Sterile pinnule magnified Fertile pinnule magnified



PLATE XXVI.

PLATE XXVI.

Figs. 1	1.	ASPIDIUM PARVIFOLIUM, sp. nov
	14, 16, 17,	Pinuule of 1 magnified
Figs.	2, 8, 9, 18. 2. 2 ⁿ . 8. 8 ⁿ . 9. 9 ^a . 18.	ASPIDIUM DUNKERI Schimper, sp Fragment of an ultimate pinna. Pinnules of 2 magnified. Portion of a compound pinna or of the frond. Pinnule of 8 magnified. Fragment of an ultimate pinna. Pinnule magnified. Portion of an ultimate pinna Pinnule magnified.
Figs.	3. 3a. 13.	PECOPTERIS BROWNIANA Dunker. Upper part of a compound pinna Pinnales magnified. Portion of a compound pinna Pinnule magnified.
Figs.	4. 4ª. 5.	PECOPTERIS PACHYPHYLLA, sp. nov Fragment of a compound pinna Pinna magnified Portion of a lower compound pinna Part of a pinna magnified
Figs.	6. 7.	THYRSOPTERIS RARINERVIS, sp. nov. Fragment of a compound pinna Fragment of the upper part of an ultimate pinna. Pinnule of 7 magrified.
Figs.	10-12 10-12	THINNFELDIA GRANULATA, Sp. nov
Fig.	15	. CLADOPHLEBIS, Sp. undetermined






PLATE XXVII.

PLATE XXVII.

FIGS. 1-5, 8. THINNEELDIA GRANULATA, sp. nov 1. Upper portion of a compound pinna 2. Termination of a pinnulo or pinna 3. Pinnule showing incipient lobing 4. Terminal portion of a compound pinna 5. Upper part of a compound pinna 5. Pinnule magnified 5. Portion of 5 much magnified, and showing the fine granulation 8. Tip of a pinnule or pinna FIGS. 6, 7. THINNFELDIA ROTUNDILOBA, sp. nov 6. Summit of a compound pinna 7. Portion of a compound pinna 7. Portion of a compound pinna 7. Pinnule magnified
2. Termination of a pinnulo or pinna 3. Pinnule showing incipient lobing 4. Terminal portion of a compound pinna 5. Upper part of a compound pinna 5. Pinnule magnified 5. Portion of 5 much magnified, and showing the fine granulation 8. Tip of a pinnule or pinna FIGS. 6, 7. THINNFELDIA ROTUNDILOBA, sp. nov 6. Summit of a compound pinna 7. Portion of a compound pinna 7. Pinnule magnified
3. Pinnule showing incipient lobing 4. Terminal portion of a compound pinna 5. Upper part of a compound pinna 5. Pinnule magnified 5. Portion of 5 much magnified, and showing the fine granulation 8. Tip of a pinnule or pinna FIGS. 6,7. THINNFELDIA ROTUNDILOBA, sp. nov 6. Summit of a compound pinna 7. Portion of a compound pinna 7. Pinnule magnified
4. Terminal portion of a compound pinna 5. Upper part of a compound pinna 5 ^h . Pinnule magnified 5 ^b . Portion of 5 much magnified, and showing the fine granulation 8. Tip of a pinnule or pinna FIGS. 6, 7. THINNFELDIA ROTUNDILOBA, sp. nov 6. Summit of a compound pinna 7. Portion of a compound pinna 7 ^a . Pinnule magnified
5. Upper part of a compound pinna 5a, Pinnule magnified 5b. Portion of 5 much magnified, and showing the fine granulation 8. Tip of a pinnule or pinna 6, 7. THINNFELDIA ROTUNDILOBA, sp. nov 6. Summit of a compound pinna 7. Portion of a compound pinna 7a. Pinnule magnified
5a. Pinnule magnified 5b. Portion of 5 much magnified, and showing the fine granulation 8. Tip of a pinnule or pinna FIGS. 6, 7. THINNFELDIA ROTUNDILOBA, sp. nov 6. Summit of a compound pinna 7. Portion of a compound pinna 7a. Pinnule magnified
5b. Portion of 5 much magnified, and showing the fine granulation 8. Tip of a pinnule or pinna Figs. 6,7. THINNFELDIA ROTUNDILOBA, sp. nov 6. Summit of a compound pinna 7. Portion of a compound pinna 7a. Pinnule magnified
8. Tip of a pinnule or pinna Figs. 6,7. Thinnfeldia rotundiloba, sp. nov 6. Summit of a compound pinna 7. Portion of a compound pinna 7a. Pinnule magnified
Figs. 6, 7. Thinnfeldia Rotundiloba, sp. nov 6. Summit of a compound pinna 7. Portion of a compound pinna 7. Pinnule magnified
6. Summit of a compound pinna 7. Portion of a compound pinna 7. Pinnule magnified
7. Portion of a compound pinna 7. Pinnule magnified
7. Pinnule magnified
Fig. 10. Sagenopteris latifolia, sp. nov
10. Portion of a leaf.
Figs. 9, 11-17. Sagenopteris elliptica, sp. nov.
9. Fragment of a small leaf
11. Upper part of a leaf of medium size. 12. Basal portion of a large leaf
13. Tip of a small leaf.
14. Petiole, with leaflets once attached to it
15. Portion of a leaf showing the corpuseles on the under side
15. Portion of a real showing the corpusores on the annel side
16. Upper part of a leaf of medium size
16. Copies part of a leaf of median size
17. Fragment of a leaf slightly enlarged, to show nervation






PLATE XXVIII.

mon xv---28

PLATE XXVIII.

Fig.	1.	Angiopteridium auriculatum, sp. nov
	1.	Portion of the frond showing several pinnules
Figs.	. 2, 4, 6,	Scleropteris elliptica, sp. nov
		Fragment showing remote and small pinnules
	2ª.	Pinnule of 2 magnified
	4.	Terminal portion of a pinna with small punnules
	6.	Large fragment of a primary pinna or of the frond
Figs	. 3.5.	Scleropteris Virginica, sp. nov
1100		Upper part of a compound pinna or of the frond
		Pinnule of 3 magnified
		Summit of a compound pinna or of the frond, slightly restored
		Tip of a pinna of 5 magnified
		Pinnules of 5 magnified
Fig.		Scleropteris elliptica, var. longifolia, sp. nov
110.		Summit of an ultimate command ninna

U. S. GEOLOGICAL SURVEY






PLATE XXIX.

PLATE XXIX.

Fig. 1	SCLEROPTERIS ELLIPTICA, sp. nov 1. Upper portion of a compound pinna or of the frond, slightly restored
Fig.	Angiopteridium nervosum, sp. nov Fragment of a pinnule Portion of 2 slightly magnified, showing typical nervation
Fig.	3. Angiopteribium ellipticum, sp. nov 3. Entire detached pinnule.
FIG.	4. Angiopteridium densinerve, sp. nov 4. Small fragment of a pinnule 4. Portion of 4 magnified
Fig.	5. Angiopteridium pachyphyllum, sp. nov
Figs.	6,7. Angiopteridium ovatum, sp. nov 6. Basal portion of a pinnule
Figs.	8, 9. Angiopteridium strictinerve, sp. nov. 8. Portion of pinnule showing nerves. 8. Portion of 8 enlarged.
	9. Portions of the frond with pinnules attached






PLATE XXX.

PLATE XXX.

			Page.
FIG	1.	Angiopteridium strictinerve, var. Latifolium, sp. nov	116 116
	5.	Fragment of a larger pinnule	116
Fig	s. 2, 3.	Anomozamites angustifolius, sp. nov	167
	2.	Tip of a leaf collected by Meek at Baltimore	167
	3.	Fragment of the middle portion of a leaf	167
Fig	. 4.	Anomozamites Virginicus, sp. nov	168
		Fragment of a large leaf	168
Fig	s. 6.7.	Angiopteridium dentatum, sp. nov.	117
		Fragments of several detached pinnules, arranged as if coming off from a common petiole	117
	6a, 6b	Different forms of teeth magnified	117
		Tip of a pinnule magnified to show the form of the teeth at the end of the pinnules.	117
	7.	A fragment of the end of a pinnule	117
F16	. 8	Platypterigium densinerve, sp. nov	169
		Fragment of the lower part of a leaf seen with the nnder side uppermost	169








PLATE XXXI.

		Page.
Figs.	1, 4. Platypterigium densinerve, sp. nov	169
	1. Portion of the middle part of a large leaf seen with the upper surface uppermost	169
	4. Portion of a petiole with the lower surface uppermost	169
Fig.	2. Platypterigium Rogersianum, sp. nov	171
	2. Portion of the lower part of the leaf.	171
Fig.	3. Anomozamites Virginicus, sp. nov	168
	3. Portion of a leaf	168






PLATE XXXII.

PLATE XXXII.

		Page.
Figs. 1, 2.	Platypterigium densinerve, sp. nov	169
1.	Portion of the lower part of a leaf of large size	169
	Portion of 1 slightly enlarged to show the nerves	169
	Portion of the lower part of a leaf, showing a segment at a, triangular in shape	169








PLATE XXXIII.

	Page.
Fig. 1. Platypterigium densinerve, sp. nov	169
1. Portion of a large leaf seen with upper surface uppermost, and showing ridges on the	
margin of the midrib	169
1s. Portion of 1 magnified to show the nerves	169
Fig. 2. Platypterigium Rogersianum, sp. nov	171
2. Fragment of the middle (?) portion of a large leaf	171






PLATE XXXIV.

PLATE XXXIV.

		Page
F1G. 1.	Platypterigium densinerve, sp. nov	169
	Portion of the leaf, showing the upper surface	169
Fig. 2.	PLATYPTERIGIUM ROGERSIANUM, sp. nov	171
ચ.	Portion of the leaf, showing segments	171
	Thyrsopteris brevipennis, sp. nov	124
	Upper part of a compound pinna or of the frond	12
	Pinnule of 3 magnified.	124
	Sphenopteris acrodentata, sp. nov	90
4.	Portion of a compound pinna or of the frond	90
4n.	Pinnule of 4 magnified.	90

U. S. GEOLOGICAL SURVEY

MONOGRAPH XV PLATE XXXIV






PLATE XXXV.

PLATE XXXV.

	Page
Figs. 1, 2. Platypterigium densinerve, sp. nov	16
1. Portion of a leaf, showing the under surface	10
2. Portion of a very wide leaf	1
Figs. 3-5. Sphenopteris latiloba, sp. nov	
3. End of a compound pinna	
3a. Pinnule magnified	
4. Portion of a compound pinna, showing some variation from the normal forms	
4a. Pinnule of 4 magnified	
5. Tip of a compound pinna	






PLATE XXXVI.

mon xv---29

PLATE XXXVI.

			Page.
Fig.	1.	CLADOPHLEBIS BREVIPENNIS, sp. nov	81
	1.	Small fragment of a compound pinna	81
		Pinua of 1 magnified.	81
Fig.	2.	Thyrsopteris brevipennis, sp. nov	124
	2.	Upper part of a compound pinna	124
		Pinnule of 2 magnified	124
Fig.	3.	THYRSOPTERIS ALATA, sp. nov	124
		Portion of a compound pinna	124
		Pinnule of 3 magnified	124
Figs.	4-9.	SPHENOPTERIS LATILOBA, sp. nov	90
1 1(10)		Tip of an ultimate pinna	90
		Upper part of a flexuous compound pinua	90
		Pinnule from the lower part of 5 magnified	90
		Portion of frond or compound pinna, showing opposite compound pinnæ, pinnules mostly entire	90
	7.	Upper part of a compound pinna	90
	7ª.	Lower pinnule of 7 magnified	90
	7b.	Upper pinnule of 7 magnified	90
		Portion of a compound pinna, showing stoutness of rachis and remoteness of pinnæ and pinnnles	90
	9	Unper part of a compound pinna	90






PLATE XXXVII.

PLATE XXXVII.

			Page.
FIG.		Sphenopteris latiloba, sp. uov	96
	1.	Summit of a compound pinna from Deep Bottom	90
Figs.	2, 4.	Thyrsopteris nervosa, sp. nov	122
	2.	Fragments of a large compound pinna or of the frond	122
	24.	Pinnule magnified	122
	4.	Upper part of a pinna	122
	4ª.	Pinnule magnified	122
Figs	3.9.	THYRSOPTERIS BREVIPENNIS, sp. nov.	124
1100		Fragment of a compound pinna from Deep Bottom	124
		Fragment from the top of a compound pinna, collected by Meek at Baltimore	124
Figs	. 5–8.	Thyrsopteris divaricata, sp. nov	125
	5.	Summit of a compound pinna or of a frond	125
		Upper portion of a compound pinna or a frond	125
		Lower pinnule of 6 magnified	125
		Upper pinnule of 6 magnified	125
		Fragment of a compound pinna	125
	70.	Pinnnle of 7 magnified	125
		Upper part of a compound pinna or of a frond	125







PLATE XXXVIII.

PLATE XXXVIII.

FIG.	1. Thyrsopteris brevipennis, sp. nov	
	1. Portion of a compound primary pinna or of the frond	
	18. A lower pinnule of 1 magnified	
	1 ^b . Upper pinnule magnified	
Figs.	2-4, 8. Thyrsopteris Meekiana, sp. nov	
	2. Portion of a primary pinna or of the frond	
	2s. Lower pinnule of 2 magnified.	
	2b. Upper pinnule magnified	
	3. Portion of the upper part of the frond	
	3ª. Pinnule magnified	
	4. Upper part of a compound pinna	
	4s. Pinnule magnified	
	8. Upper part of a compound pinna	
Figs.	5-7, 9. Thyrsopteris Meekiana, var. angustiloba, sp. nov	
11001	5. Portion of a compound piuna	
	5ª. Pinna magnified	•
	6. Portion of a small compound pinna	
	7. Upper part of an ultimate pinna	
	9. Portion from near the end of an ultimate pinna	
	98. Pinnule magnified	








PLATE XXXIX.

Figs.	1, 2. Thyrsopteris crenata, sp. uov
	1. Upper portion of a primary pinna, or of the frond, slightly restored
	1a. Lower pinnule magnified
	2. Upper portion of a compound pinna, slightly restored
	2a. Lower pinnule of 2 magnified
	2b. Upper pinnules magnified
177	
FIG.	3. Thyrsopteris densifolia, sp. nov
	3. Upper portion of a compound pinna or of the frond
	3a. Pinnule magnified
Fig.	4. Thyrsopteris insignis, sp. nov
	4. Portion of the lower part of the frond or of a large compound pinna
	4ª. Piunule magnified
Fig.	5. Thyrsopteris nervosa, sp. nov
	5. Fragment of an ultimate pinna

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE XXXIX






PLATE XL.

·PLATE XL.

			Page.
Fig.	1.	Thyrsopteris insignis, sp. nov	127
	1.	Fragment of a compound pinua	127
	1ª.	Pinnule magnified, nerves not made out	127
Figs.	2-5.	THYRSOPTERIS DENSIFOLIA, sp. nov	129
	2.	Fragment of the frond or of a primary pinna	129
		Pinnule magnified	129
		Upper part of a compound pinna	129
	3a.	Lower pinnules of 3 magnified	129
		Upper pinnule magnified	129
	4.	Upper portion of a compound pinna, slightly restored	129
	5.	Upper part of a compound pinna with flexuous rachis	129
Fig.	6.	Thyrsopteris nervosa, sp. nov	129
	6.	Fragmeuts of the upper part of a compound pinna	125
	6ª.	Pinpule magnified	122






PLATE XLI.

PLATE XLI.

			Page.
Figs.		Thyrsopteris crassinervis, sp. nov	130
	1.	Upper part of a compound pinna	130
	1a.	Lower pinnule magnified	130
	1b.	Upper pinnule magnified	130
		Part of a compound pinna	130
		Lower pinnule of 2 magnified	130
		Upper pinnules of 2 magnified	130
		Summit of a long compound pinna	130
		Lower pinnule of 3 magnified	130
		Upper pinnule of 3 magnified.	130
FIG.	4.	Thyrsopteris brevipennis, sp. nov	124
		Fragment of a compound pinna.	124
		Pinnule of 4 magnified	124
FIG.		OSMUNDA DICKSONIOIDES, sp. nov	146
	5.	Small fragment from the upper part of a compound pinna	146
	5° .	Pinnule magnified	146
Fig.	6.	Thyrsopteris insignis, sp. nov	127
		Fragments of a large primary pinna or of the frond	127
		Pinnule magnified	127






PLATE XLII.

PLATE XLII.

			Pa,
Figs.	1, 2, 4.	Thyrsopteris insignis, sp. nov	1
	1.	Fragment of a large compound pinna, or of the frond, slightly restored	
	2.	Fragment of a compound pinna	
	2ª.	Pinnule of 2 magnified	
	4.	Portion of the upper part of a compound pinna	
		Pinnule of 4 enlarged	
Fig.	3.	Thyrsopteris insignis, var. angustipennis, sp. nov	
	3.	Portion of a compound pinna	
	3ª.	Lower pinnule of 3 magnified	
		Upper pinnule magnified	






PLATE XLIII.

PLATE XLIII.

Figs.	, 3. Thyrsopteris insignis, sp. nov
	1. Tip of au ultimate pinua
	3. Portions of a compound pinna or of the frond
Fig.	2. Thyrsopteris insignis, var. angustipennis, sp. nov
	2. Portions of two ultimate pinnae
	2ª. Pinnule magnified
Free	1-6. Thyrsopteris rarinervis, sp. nov
1 103.	4. Upper part of an ultimate pinna
	4 ^a . Piunules magnified
	5. Upper part of a compound pinna, showing pinnnles reduced to lobes
	6. Portion of au ultimate pinna.
	6a, Pinnule magnified
Fig.	7. Thyrsopteris decurrens, sp. nov
FIG.	7. Fragment of a compound pinna.
	78. Pinnule magnified
Fig.	8. Thyrsopteris Meekiana, vap. angustiloba, sp. nov
	8. Fragment of a compound pinna
	8a. Lower pinnule of 8 magnified.
	8b. Upper pinnule magnified






PLATE XLIV.

mon xv---30

PLATE XLIV.

			Page.
	Figs. 1, 2, 5.	Thyrsopteris rarinervis, sp. nov	12:
	1.	Upper part of a compound pinna slightly restored	123
	1ª.	Pinnule of 1 magnified	123
	2.	Portion of a primary pinna, or of the frond, slightly restored	123
		Fragment of a compound pinna.	12:
	5ª.	Pinnule of 5 magnified	123
1	Fig. 3.	THYRSOPTERIS MEEKIANA, VAI. ANGUSTILOBA, Sp. nov	120
	3.	Fragments of compound pinnæ	120
	Fig. 4.	Thyrsopteris angustifolia, sp. nov	131
		Upper part of a compound pinna	133

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE XLIV






PLATE XLV.

PLATE XLV.

			Page.
Figs.	1, 2, 4, 5.	THYRSOPTERIS MICROPHYLLA, sp. nov	131
Ü	1.	Portion of a large primary pinna, or of the frond, slightly restored	131
	1ª.	Upper ultimate pinna or pinnule magnified	133
	1b.	Portion of a lower ultimate pinna magnified	133
		Upper part of a compound pinna, with the pinnules reduced to lobes	13
	2a,	Lower pinnule magnified	133
		Several detached upper ultimate pinnæ	13
		Pinnules magnified	13
		Portion of a small upper ultimate pinna, with the pinnules reduced to lobes	133
		Pinnules or lobes magnified	133
Fig.	3.	Thyrsopteris angustifolia, sp. nov	133
	3.	Upper part of a compound pinna or of the frond	133
	3a	Pinnule magnified	133








PLATE XLVI.

Fig.	1.	THYRSOPTERIS ELLIPTICA, sp. nov. Fragments of several compound pinnæ, showing apparently a palmate mode of branching. Pinnules of 1 magnified	Р
Figs.	2, 4. 2. 2ª.	THYRSOPTERIS DECURRENS, sp. nov. Portion of a compound pinna Portion of 2 magnified Upper part of a compound pinna.	
Figs.	3. 3ª.	THYRSOPTERIS PACHYRACHIS, sp. nov Upper part of a large primary pinna, or of the frond, slightly restored Pinnule magnified Small fragment of a compound pinna.	








PLATE XLVII.

		rage.
Figs.	1, 2. Thyrsopteris pachyrachis, sp. nov	132
	1. Two compound pinnæ of a primary pinua or of the frond	132
	1a. Lower pinnule of 1 magnified	132
	1b. Upper pinnule of 1 magnified	132
	2. Fragments of two ultimate pinue	132
	2ª. Pinnule of 2 magnified	132
Fig.	3. Thyrsopteris distans, sp. nov	134
	3. Portion of a large compound pinna or of the frond	134
	38. Upper pinna of 3, when changed to pinnules, magnified	134
Fig.	4. Thyrsopteris Meekiana, var. angustiloba, sp. nov	126
	4. Fragments of the upper part of a compound pinna	126
	As Pinnule magnified	126






PLATE XLVIII.

PLATE XLVIII.

		Page.
FIG.	1. Thyrsopteris Meekiana, vaf. angustiloba, sp. nov	126
	1. Portions of two compound pinna	126
	1ª. Ultimate pinna magnified	126
Fig.	2. Thyrsopteris angustifolia, sp. nov	131
	2. Fragment of a compound pinna or of the frond	131
Figs	3-5. Thyrsopteris angustiloba, sp. uov	134
	3. Snumit of a primary pinna, or of the frond, slightly restored	134
	3°. Pinnule magnified	134
	4. Fragments of the upper part of a compound pinna or of the frond	134
	4º. Pinnule of 4 magnified.	134
	5. Fragments of ultimate pinnæ	134
	5º. Pinnule of 5 magnified.	134

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE XLVIII








PLATE XLIX.

			Page.
Fig.	1.	THYRSOPTERIS PACHYRACHIS, sp. nov	132
	1.	Fragment of a compound pinna or of the frond	132
	1ª.	Ultimate pinna magnified	132
Fig.	2.	Thyrsopteris rarinervis, sp. nov	123
	2.	Portion of a primary pinna or of the frond	123
	2ª.	Lower pinnule of 2 magnified	123
	2ь.	Upper pinnule magnified	123
Figs	. 3, 4.	Thyrsopteris angustifolia, sp. nov	131
		Fragments of compound pinnæ	131
Figs	. 5-7.	THYRSOPTERIS DECURRENS, sp. nov	130
		Fragment of the summit of a compound pinna	130
		Ultimate pinna magnified	130
		Fragments of a compound pinna	130
	6ª.	Pinnule magnified	130
	7.	Fragment of the upper part of an ultimate pinna	130






PLATE L.

PLATE L.

		Page
1.	SPHENOPTERIS MANTELLI Brongn Portions of compound pinnæ.	9
2.	Pinnule magnified Fragment of a compound pinna, or of the frond, showing a form with narrower pinnules and lobes. Pinnule magnified	9
	Thyrsopteris pachyphylla, sp. nov	13 13
	Sphenopteris spatulata, sp. nov. Small fragment of an ultimate pinna.	9
5.	SPHENOPTERIS PACHYPHYLLA, sp. nov Small fragment of a compound pinna Ultimate pinna magnified	9 9
6. 6°.	THYRSOPTERIS ELLIPTICA, sp. nov Fragments of detached compound pinnæ Pinnules magnified Portion of the upper part of a compound pinna	13 13 13 13
7. 7a.	THYRSOPTERIS MEEKIANA, Sp. nov. Portion of the upper part of a compound pinna. Pinnule magnified Unper portion of a long compound pinna.	. 12 12 12






PLATE LI.

PLATE LI.

			Page
Fig.	1.	THYRSOPTERIS PECOPTEROIDES, sp. nov	133
	1.	Portion of a compound pinna	133
	1a, 1b.	Pinnules of 1 magnified	13
Fig.	2.	Thyrsopteris pinnatifida, sp. nov	130
		Portion of a large compound pinna, slightly restored	136
Fig.	9	Thyrsopteris Meekiana, sp. nov	12
1 10.		Upper part of a compound pinna	12
			12
	3ª,	Pinnule of 3 magnified	1.0
Figs.	4, 6, 7.	Thyrsopteris elliptica, sp. nov	13
	4.	Small fragment of a compound pinna	13
		Fragment of a large primary pinna, or of the frond, slightly restored	13
	6ª.	Lower pinnules of 6 magnified	13
	6b.	Upper pinnule magnified	13
	7.	Fragment from the upper part of a compound pinna	13
Fig.	5.	THYRSOPTERIS DENSIFOLIA, sp. nov	12
	5	Unper part of a compand ping	12






PLATE LII.

MON XV——31 .

PLATE LII.

			Pag
Fig.		Thyrsopteris heteromorpha, sp. nov	13
		This represents what seems to be the entire frond radiating from the top of the stipe.	13
	1ª.	Lower pinnule of 1 magnified	13
	1 ^b .	Upper pinnule magnified	13
Figs.		Thyrsopteris varians, sp. nov	13
	2.	Summit of a compound pinna, slightly restored	13
	2a.	Pinnule of 2 magnified	13
	3.	Portion of a lower compound pinna, slightly restored	13
	4.	Portion of a lower compound pinna	13
	4a.	Pinnule magnified	13
Fig.		Thyrsopteris rhombifolia, sp. nov	13
	5.	Portions of compound pinna, apparently radiating from a common point, as in a frond	
		palmately divided	13
	5ª.	Ultimate pinna from the lower portion of a compound pinna magnified	13
	5b.	Upper pinna of the same magnified	1;






PLATE LIII.

PLATE LIII.

			Pag
Figs.	1-3.	THYRSOPTERIS VARIANS, Sp. DOV	1
	1.	Portions of a compound pinna from the upper part of the frond, slightly restored	13
	1ª.	Pinnule magnified	13
		Portion of a compound pinna from the upper part of the frond	1
	2a.	Pinnule magnified	1
	3.	Portions of a compound pinna from the lower part of the frond	1
	3a.	Pinnules magnified	1
	3b.	Tip of a pinna magnified	1
Fig	4.	Thyrsopteris heteroloba, sp. nov	1
		Portion of a compound pinna, slightly restored	1
		Pinnules magnified	1
		•	
FIG.		Thyrsopteris bella, sp. nov	1
	5.	Fragment of the upper part of a compound pinna	1
	58	Ultimate pinns of 5 magnified	1








PLATE LIV.

PLATE LIV.

			Page
FIG.		THYRSOPTERIS RHOMBIPILLA, sp. nov. Upper part of a compound piuna, differing in some respects from the normal form of T , $rhombifolia$.	13:
	10	Ultimate lower pinua magnified	13
		Ultimate upper pinna magnified	13
Figs.	2, 11.	Thyrsopteris Meekiana, var. angustiloba, sp. nov	12
	2.	Small fragment of the upper part of a compound pinna	120
	2ª.	Pinnule magnified	120
	11.	Small fragment of a compound pinna	120
	11a.	Pinnule magnified	120
Figs.	2.0	Aspidium Dunkeri Schimper, sp	10
1 105.	, , , ,	Fragment of an upper ultimate pinna	10
		Pinnules magnified.	10
		Fragment of an upper ultimate pinna.	10
		Pinnules magnified	10
Figs.		Thyrsopteris pinnatifida, sp. nov	130
		Fragment of a lower compound pinna	136
		Portion of an upper compound pinna	130
		Upper part of a compound pinna, slightly restored.	130
		Lower ultimate pinna magnified	13
	7b.	Upper pinna magnified	130
Fig.	6.	Thyrsopteris elliptica, sp. nov	13
	6.	Fragment of a compound pinna or of the frond	133
Fig.			13
r IG.		THYRSOPTERIS DISTANS, Sp. nov	13
		Upper part of a compound pinna	13
		Pinnule of 8 magnified	
Fig.	10.	. Thyrsopteris varians, sp. uov	13
	10.	Upper part of a compound pinna, showing nnusually narrow and remote pin-	
		nules	13
	10a.	Pinnules of 10 magnified	133






PLATE LV.

PLATE LV.

Fig.		MANA, var. ANGUSTILOBA, sp. nov
		ud piuna
		ed
	** *	
Fig.		USTIFOLIA, sp. nov
		pound pinua or of the frond
	2ª. Lower pinnule mag	nified
FIG.		USTILOBA, sp. nov
		d pinne
		ified
	3b. Upper pinnule magn	ified
FIG.		PTICA, sp. nov
	4. Summit of a compor	and pinna
Fig.	5. Thyrsopteris mich	ROLOBA, Var. ALATA, sp. nov
	5. Upper part of a com	pound primary pinna or of the frond
		ified
	5 ^b . Upper piuna magnif	ied
Figs	s. 6, 7. Thyrsopteris beli	A, sp. nov
		pinna, or of the frond, slightly restored
	6a. Lower pinnnle mag	nified
	7. Upper part of an ul	timate pinna
	78 Several ninnules ma	gnified






PLATE LVI.

PLATE LVI.

			Page.
Figs.	1, 3.	Thyrsopteris Meekiana, var. angustiloba, sp. nov	126
		Portions of compound pinna	126
		Upper part of a compound pinna	126
	٥,	Opper part of a compound pinna	
Figs.	2, 5.	THYRSOPTERIS BELLA, sp. nov	139
	2.	Summits of detached ultimate pinne	139
		Pinnule magnified	139
		Fragments of a primary pinna or of the frond	139
	э.	Fragments of a primary pluda of of the front	10.
Figs.	4, 8,	Thyrsopteris nana, sp. nov	143
		Small fragment of a compound pinua	143
		Upper part of a compound pinna	143
		Lower pinnule of a pinna, magnified	14
		Pinnule from the middle of a pinua, magnified	147
			14
	8c.	Pinnule from the terminal portion of a pinna, magnified	14.
Figs	6.7.	Thyrsopteris elliptica, sp. nov	133
		Portion of the frond showing the stipe in part	133
		Pinnule magnified, nerves not seen	133
			133
	7	Fragments of compound pinne	15






PLATE LVII.

PLATE LVII.

***			Page,
Figs		PTERIS BELLA, sp. nov	139
		nts of a primary pinna or of the frond	139
	1a. Ultimate	e npper pinna magnified, nerves not seen	139
	5. Fragmer	nts of a primary pinna or of the frond	139
		inna magnified	139
Fig.	2. Thyrson	PTERIS VARIANS, sp. nov	137
	2. Portion of	of a compound pinna	137
		magnified, nerves not made out	137
Fig.	3, 8. Thyrson	PTERIS IN EQUIPINNATA, sp. nov	149
		d portion of a very long and slender ultimate pinna	149
		art of a compound pinna	149
		innule magnified	145
		innule magnified	14:
Fig.		PTERIS MICROLOBA, Sp. nov.	140
I Iu.		of a primary pinna or of the frond, slightly restored	140
		e pinna magnified	140
Fig.		PTERIS ELLIPTICA, Sp. nov	133
r ro.			
		of the upper part of a compound pinua	133
	6a. Pinnile	magnified	133
Fig.	7. THYRSON	PTERIS PINNATIFIDA, Sp. nov	136
		of a compound pinna	136
		magnified	136






PLATE LVIII.

PLATE LVIII.

			Page.
FIG.		Thyrsopteris microloba, var. alata, sp. nov	140
	1.	Upper part of a primary pinua or of the frond	140
	1ª.	Pinnules magnified	140
Fig.	2,	THYRSOPTERIS ELLIPTICA, sp. nov	133
		Fragment of a compound pinna	133
		Pinnule magnified	133
Fig.	3.	THYRSOPTERIS HETEROPHYLLA, Sp. nov	142
		Small fragment of the upper part of a compound pinua	142
		Ultimate pinna magnified.	142
Fig.	4.	Thyrsopteris bella, sp. nov.	139
1 101		Portion of the upper part of a compound pinna	139
		Pinnule magnified, nerves not made out	139
D		,	89
Fig.		Sphenopteris thyrsopteroides, sp. nov	89
		Pinna magnified.	89
FIG.		THYRSOPTERIS SPHENOPTEROIDES, Sp. nov	143
		Portion of a compound pinna	143 143
		Lower pinnule magnified	143
		Upper pinuule magnified	
Figs	. 7, 10.	Thyrsopteris obtusiloba, sp. nov	143
		Portion of a compound pinna	143
		Pinnule from the lower part of a penultimate pinna	143
		Pinnule from the middle of 7	143
		Pinnule from the summit of 7, all magnified	143 143
		The summit of a compound pinna	143
		Ultimate pinna magnified	
FIG.		Thyrsopteris angustifolia, sp. nov	131
		Portion of a compound pinna	131
	8ª.	Pinna or a pinnule magnified	131
Fig.		OSMUNDA DICKSONIOIDES, Sp. nov	146
		Upper part of a compound pinna	146
	9a	Pinnule magnified	146






PLATE LIX.

PLATE LIX.

			Page
Figs. 1, 4, 8,	9, 11.	OSMUNDA DICKSONIOIDES, Sp. uov.	14
	1.	Upper part of an ultimate pinna	14
	1ª.	Pinnule magnified	14
	4.	Upper part of a compound pinna	14
		Pinnule magnified	14
	8.	Fragment of a compound pinna	14
	8a.	Ultimate pinna magnified	14
	9.	Portion of a compound pinua	14
		Ultimate pinna magnified	1
	11.	Summit of a penultimate pinna	14
	11ª.	Ultimate pinna magnified	1
Figs.	0.10	ASPIDIUM MICROCARPUM, sp. nov	10
rigs.		Portion of a sterile compound pinna.	1
		Pinnules magnified.	1
		Summit of a fertile compound pinna.	1
Fig.		Thyrsopteris squarrosa, sp. nov	1
		Fragment of a compound pinua	1
		Pinnules magnified	1
	5.	Fern in circinate vernation	1
Figs.	6, 7,	Thyrsopteris rhombiloba, sp. nov	1
1 1000		Fragments of compound pinnæ	1
		Magnified ultimate pinna of 6	1
		Lower pinnule of 7 magnified	1
		Upper piunule of 7 magnified	1
F1G.	10.	THYRSOPTERIS RETUSA, sp. nov	1
		Portion of the frond	1
	10a	Lower pinule magnified	1
	10b	Upper pinnule magnified	1
		Tip of an ultimate pinna magnified	1






PLATE LX.

mon xv---32

PLATE LX.

		Page.
Figs. 1, 3.	OSMUNDA DICKSONIOIDES, Var. LATIPENNIS, Sp. nov	147
1	. Fragment of a large primary piuna or of the frond	147
10	Pinnule magnified	147
	. Upper part of a compound pinna	147
	Ultimate piuna magnified	147
Figs. 2, 4, 5, 9	OSMUNDA DICKSONIOIDES, Sp. nov	146
2	. Upper part of a compound pinna	146
	. Ultimate pinua magnified	146
	Summit of a compound pinna	146
	Pinna or pinnule magnified	146
	Summit of a fertile compound pinna	146
	Pinnule magnified	146
	Portion of a compound piuna	146
	. Ultimate pinna magnified.	146
	. Tip of an ultimate pinna magnified	146
Figs. 6,7	ASPIDIUM MICROCARPUM, Sp. nov	103
6	. Portion of a compound pinna, showing mixed sterile and fertile pinnules	103
6n	. Fertile pinnules magnified	103
6ъ	. Sterile and fertile pinnules magnified	103
7	. Portion of a fertile compound pinna, showing the outline of the pinnules only	
	in the arrangement of the sori	103
Fig. 8	. Thyrsopteris rhombiloba, sp. nov	144
8	3. Small fragment of a compound pinna	144
80	Pinna or pinnules magnified	144






PLATE LXI.

PLATE LXI.

Figs. 1, 2. Osmunda Dicksonioides, sp. nov	
1. Upper part of a compound pinua	
1º. Lower pinnule magnified	
1b. Upper pinnule magnified	
2. Upper part of a compound pinna	
2 ^a . Ultimate pinna magnified	
FIG. 3. OSMUNDA DICKSONIOIDES, VAR, LATIPENNIS, Sp. nov	
3. Upper portion of a compound pinna	
3º. Lower pinnules or lobes magnified	
3b. Upper ultimate pinna magnified	
Figs. 4, 5. Ctenopteris insignis, sp. nov	
4. Portion of an ultimate pinna, with somewhat abnormal pinnules	
4º. Pinnule magnified	
5. Tip of an ultimate pinna	
Fig. 6. Undetermined plant	· · · · · · · · · · · · · · · · · · ·
6a. Portion magnified	
Fig. 7. Zamiopsis pinnatifida, sp. nov	
7. Portion of a compound pinna	
FIG. 8. ZAMIOPSIS LONGIPENNIS, sp. nov	
FIG. 8. ZAMIOPSIS LONGIPENNIS, sp. nov	






PLATE LXII.

PLATE LXII.

			Page.
FIG.	1.	CTENOPTERIS INSIGNIS, Sp. nov	156
	1.	Portion of a large compound pinna or of the frond.	156
		Pinuule magnified.	156
Fig.	2.	CTENOPTERIS INTEGRIFOLIA, SP. nov	158
		Small fragment of an ultimate pinna	158
Fig.	3.	Zamiopsis insignis, sp. nov	162
	3.	Portion of an ultimate pinua	162
Fig.	4.	CTENOPTERIS VIRGINIENSIS, Sp. nov.	157
		Portions of two ultimate pinnæ with nuusually narrow pinnules	157
	4ª.	Pinnule magnified	157
Fig.	5.	Zamiopsis pinnatifida, sp. nov	161
		Summit of a commound ninne	101






PLATE LXIII.

PLATE LXIII.

	rage
Figs. 1.2. Ctenopteris insignis, sp. nov	15
1. Large fragment of a compound pinna partly restored	15
2. Fragment of an ultimate pinna	15
Figs. 3.4. Scleropteris dentata	15
	15
3. Tip of an ultimate pinna	
4. Portions of two ultimate pinnæ	15
4*. Pinnule magnified	15






PLATE LXIV.

PLATE LXIV.

			Page.
Figs.	1, 3.	Zamiopsis insignis, sp. nov	Page 169
	1.	Portion of a large compound pinna or of the frond	169
		Lower pinnule magnified	165
		Upper pinnule magnified	165
		Portion of a compound pinna slightly restored	169
Fig.	2.	Zamiopsis pinnatifida, sp. nov.	16
		Portion of a compound pinna	16:
		Pinnules or lobes magnified.	16:







PLATE LXV.

PLATE LXV.

			Page
FIG.	1.	CTENOPTERIS VIRGINIENSIS, Sp. nov	15
		Fragment of a compound pinna slightly restored	19
Fig.	2.	CTENOPTERIS ANGUSTIFOLIA, Sp. nov	19
		Fragment of an ultimate pinna	1
		Pinnule magnified	1
Fig.			1
r IG.		CTENOPTERIS INTEGRIFOLIA, sp. nov	1:
		Fragment of the upper part of a compound pinna.	
	J.,	Pinnule magnified	1
Figs.	4-6.	Zamiopsis insignis, sp. nov	10
	4.	Fragment of the upper part of a compound pinna slightly restored	10
	5.	Fragment of the lower part of a compound pinna	10
	5ª.	Pinnules enlarged	1
		Unner part of an ultimate pinna	10








PLATE LXVI.

Figs.	5-8. Zamiopsis laciniata, sp. nov	
	1. Portion of a large primary pinna or of the frond	
	1a. Portion of a long pinnule magnified	
	1b. Short pinnule magnified	
	5. Upper part of an ultimate pinna	
	5ª. Pinnule magnified	
	6. Upper part of an ultimate pinna	
	7, 8. Two tips of ultimate pinua	
Fig.	2. Zamiopsis insignis, sp. nov.	
1100	2. Upper portion of an ultimate pinna	
	11 1	
Fig.	3. Zamiopsis petiolata, sp. nov	
	3. Summit of an ultimate pinna	
	3ª. Pinnule magnified	
Fig.	4. Ctenopteris Virginiensis, sp. nov	
	4. Portion of a compound pinna	







PLATE LXVII.

PLATE LXVII.

		Page.
	Zamites tenuinervis, sp. nov	17: 17:
	Zamiopsis pinnatifida, sp. nov Tip of a pinna?	161 161
3.	CTENOPTERIS MINOR, sp. nov Portion of a frond with pinnules fragmentary from maceration Pinnules of 3 and of other fragments, magnified to show variation in teeth	15 15 15
4.	CTENOPTERIS ANGUSTIFOLIA, sp. nov. Fragment of an ultimate pinna Pinnule magnified.	159 159 159
. 5.	CTENOPTERIS LONGIFOLIA, sp. nov Fragment of an ultimate pinna Portion of a pinnule magnified	159 159 159
	DIOONITES BUCHIANUS, var. ANGUSTIFOLIUS, Schimper, sp	18 .18
	Zamiopsis insignis, sp. nov	169 169






PLATE LXVIII.

mon xv---33

PLATE LXVIII.

			Pa
FIG.		Dioonites Buchianus Schimper	
	1.	Summit of a leaf	
Figs.	2.3.	CTENOPHYLLUM LATIFOLIUM, sp. nov	
ı racı		Portion of a leaf slightly restored	
		Portion of a leaflet magnified to show the nerve-bundles	
	ა,	Upper portion of a leaf corresponding to 2.	
Fig.	4.	DIOONITES BUCHIANUS, var. ANGUSTIFOLIUS, Schimper, sp	
		Portion of the middle part of a leaf, showing the keeled midrib. The under surface is uppermost.	
Fig.	5.	GLOSSOZAMITES DISTANS, Sp. nov	
		Detached leaflets, and leaflets attached to the midrib	
		Leaflet magnified	
FIG.		Podozamites subfalcatus	
	6.	Leaflet showing a portion of the stem still attached	










PLATE LXIX.

PLATE LXIX.

		Page.
Figs.	1, 3. Dioonites Buchianus Schimper	189
	1. Fragment of a leaf with broad and short leaflets	182
	3. Portion of a leaf showing the keeled midrib	18
Fig.	2. Zamites tenuinervis, sp. nov	17
	2. Basal portion of a normally shaped leaflet	17
Fig.	4. Zamites crassinervis, sp. nov	175
	4. Basal portion of a leaflet narrowed to the base	179






PLATE LXX.

PLATE LXX.

		Page
Fig.	1. Zamites tenuinervis, sp. nov	17
	1. Nearly complete leaflet	17
Figs.	2.3. Dioonites Buchianus Schimper	189
	2. Upper part of a leaf with narrow and very remote leaflets	189
	3. Upper portion of a leaf with very remote leaflets of medium width	18
Fig.	4. Encephalartopsis nervosa, sp. nov	17
	A Portion of a small leaf	17








PLATE LXXI.

Fig.		DIOONITES BUCHIANUS Schimper	Page. 182
		entire length of some of the leaflets seen was not drawn	182
Fig.	2. D	DIOONITES BUCHIANUS, var. ANGUSTIFOLIUS, Schimper	185
	2. S	Summit of a leaf with closely placed leaflets	185
Figs.	3, 4. E	Encephalartopsis nervosa, sp. nov	174
	3. P	Portions of two leaflets apparently once attached to the same stem	174
	4. F	Tragment of a leaflet showing a portion of one margin	174
	4a. P	Part of 4 magnified	174






PLATE LXXII.

PLATE LXXII.

	Page.
Figs. 1,2. Dioonites Buchianus Schimper	182
1. Upper part of a leaf with remote and narrow leaflets	182
2. Summit of a leaf with remote leaflets	182
2n. Basal portion of a leaflet, showing the insertion of the nerves magnified	182
2b. Portion of 2a still more magnified, to show the fine granulation between the	182
nerves	182
Figs. 3, 4. Encephalartopsis nervosa, sp. nov	174
3. Upper portion of a leaf of medium size	174
4 Middle partian of a leaf of large size	174






PLATE LXXIII.

PLATE LXXIII.

			Page.
Figs.	1-3.	DIOONITES BUCHIANUS Schimper	182
	1.	Summit of a leaf, showing the great uarrowing of the terminal leaflets	189
	2.	Fragment of the middle part of a normal leaf	189
	3.	Fragment of the upper part of a very large leaf, showing the midrib much atten-	
		uated	189
	3ª.	Basal portion of a leaf magnified	189
	3b.	Summit of a leaf magnified	189







PLATE LXXIV.

PLATE LXXIV.

	Page.
Figs. 1-3. Dioonites Buchianus Schimper	189
1. Portion of a leaf with leaflets of normal width, showing the keeled midrib.	189
2. Portion of a leaf, showing the leaflets gradually and considerably nat	
toward the base; a rather unusual feature	189
3. Portion of a leaf with keeled midrib, showing well the attachments of the	
lets, which are strictly opposite	189



PLATE LXXV.

PLATE LXXV.

		Page.
Fig.	1. Nageiopsis longifolia, sp. nov	195
	1. Portion of a large branch slightly restored, and with the original shape and dimensions	
	sions of the leaves indicated	195
	1a. Base of a leaf magnified	195
	1 ^b . Summit of the same magnified	195
Fig.	2. Nageiopsis recurvata, sp. nov	197
	2. Fragment of a branch with small leaves	197
Fig.	3. Zamites tenuinervis, sp. nov	171
	3. Lower portion of a large leaf	171










PLATE LXXVI.

MON XV-34

PLATE LXXVI.

		Page.
Fig.	1. Podozamites pedicellatus, sp. nov	180
	1. Base of a large leaflet	180
Figs.	2-6. Nageiopsis longifolia, sp. nov	195
	2. Portion of a stem with two large leaves	195
	3. Portion of a large stem, showing near the top the former presence of two lateral branches	195
	4. Fragment of a stem with leaves of the maximum width	195
	5. Portion of a stem, showing near midway scars left by scales of a former terminal bud	195
	6. Tip of a leaf	195
F1G.	7. Zamites tenuinervis, sp. nov	171 171
	i. Dasar portion or a narrow toar	111






PLATE LXXVII.

PLATE LXXVII.

		Page
Figs.	1, 2. Nageiopsis longifolia, sp. nov	19
	1. Portion of a stem with wide leaves	19
	2. Portion of a large leaf	19
Fig.	3. Nageiopsis decrescens, sp. nov	19
	3. Portion of a branch, with leaves diminishing in ascending	19
	3ª. Leaf magnified	19
Fig.	4. Nageiopsis ovata, sp. nov	19
	4. Fragment of a leafy branch	19
	4º. Leaf magnified	19



PLATE LXXVIII.

PLATE LXXVIII.

1-5. Nageiopsis longifolia, sp. nov.
1. Portion of a large leafy branch
2. Fragment of a leaf
 Portion of a leafy branch, showing alternate leaves—a rare feature—and the in- sertion of the bases of some of the leaves unusually far within the margin of
the stem
4. Fragment with an unusually large stem
5. Portion from near the summit of a leafy branch
6. Zamites tenuinervis, sp. nov
6. Portion of a broad leaf, showing only one margin
7. Podozamites pedicellatus, sp. nov
7. Basal portion of a narrow leaf






PLATE LXXIX.

PLATE LXXIX.

Figs 1	, 3. Nageiopsis zamioides, sp. nov	Page.
1100.1	1. Portions of a large branching stem with leaves of largest size	196 196
Figs. 2.	Fragment of a leafy branch with large leaves Nageiopsis crassicaulis, sp. nov	196 198
<i>'</i>	Basal portion of a large leaf Basal portion of a leaf of medium size	198 198
Fig.	Nageiopsis recurvata, sp. nov Upper portion of a leaf	197
Fig.	Podozamites distantinervis, sp. nov Portion of a leaflet of medium size	179 179
Fig.	7. Nageiopsis longifolia, sp. nov	199 195







PLATE LXXX.

PLATE LXXX.

			Page.
Figs.	1, 2, 4.	NAGEIOPSIS ZAMIOIDES, sp. nov	196
	1.	Fragment of a large branch	196
		Leaf magnified	196
	2.	Fragment of a small branch	196
	2ª.	Leaf magnified.	196
	4.	Fragments of a large branching stem '	196
Fig.	3.	Nageiopsis recurvata sp. nov	197
	3.	Basal portion of a large leaf	197
Fig.	5.	Nageiopsis ovata, sp. nov	199
	5.	Lower portion of a leafy branch, showing the gradual increase in the size of the leaves	199
Fig.	6.	Podozamites acutifolius, sp. nov	183
	6.	Detached leaflet	181
	6a.	Basal portion of 6	181
		Summit of the same magnified	18:








PLATE LXXXI.

			Page.
Figs.	1-6.	NAGEIOPSIS ZAMIOIDES, Sp. nov	196
	1.	Fragments of branches, the right-hand one showing on the left subordinate branches.	196
	1ª.	Leaf magnified	196
	2.	Small fragment of a branch with portions of large leaves	196
	2ª.	Leaf magnified	196
	3.	Fragment of a branch from near the base, showing small leaves	196
		Leaf magnified.	196
	4.	Fragment of a branch with leaves of medium size	196
		Fragments of what seems to be a branching limb	196
		Portion of a branch with leaves of medium size	196






PLATE LXXXII.

PLATE LXXXII.

	Page
Fig. 1. Nageiopsis crassicaulis, sp. nov	198
1. Summit of a leafy branch	198
Fig. 2. Podozamites grandifolius, sp. nov	180
2. Fragment of a large leaflet.	
2. Fragment of a narge realiet 2. Fragment of 2 magnified to show nerves	
Fig. 3. Nagelopsis latifolia, sp. nov	
3. Fragment of a leaf	
FIG. 4. PODOZAMITES DISTANTINERVIS, sp. nov	179
4. Basal portion of a leaflet	179
Fig. 5. Podozamites pedicellatus, sp. nov	180
5. Basal portion of a leaflet	








PLATE LXXXIII.

		Page.
Figs.1.2.6	3,7. Podozamites distantinervis, sp. nov	179
,	1. Terminal portion of a leaflet of the largest size	179
	2. Portions of two leaflets in natural position	179
	6. Basal portion of a small leaflet	179
	7. Portions of two leaves attached to the midrib.	179
Fig.	3. Zamites crassinervis, sp. nov 3. Entire detached leaflet	17: 17:
Fig.	ZAMITES DISTANTINERVIS, Sp. nov. Terminal portion of a leaf	
Fig.	5. Podozamites grandifolius, sp. nov	

U. S. GEOLOGICAL SURVEY

MONOGRAPH XV PLATE LXXXIII






PLATE LXXXIV.

mon xv---35

PLATE LXXXIV.

			Page.
Figs. 1, 2, 8, 1	10, 14, 15.	Podozamites distantinervis, sp. nov	179
	1.	Basal portion of a leaf	179
	2.	Portion of a leaf with neither margin preserved	179
	8.	Base of a leaflet abruptly rounded at base	179
	10.	Three leaflets, detached and overlapping	179
	14.	Base of a leaflet slightly enlarged	179
	15.	Tip of a leaflet slightly enlarged	179
Figs.	3, 9, 11.	NAGEIOPSIS CRASSICAULIS, Sp. nov	198
		Basal portion of a narrow leaf	198
	9.	Small fragment of a leaf	198
	11.	Terminal portion of a narrow leaf	198
	11a.	Portion enlarged	198
Fig.	4.	Nageiopsis heterophylla, sp. nov	201
		Small fragment of a leafy branch	201
Fig.	5.	PHYLLOCLADOPSIS HETEROPHYLLA, Sp. nov	204
	5.	Portion of several leafy branches	204
		Leaves magnified	204
Fig.	6.	NAGEIOPSIS MICROPHYLLA, sp. nov	201
		Small fragment of a leafy branch	201
Fig.	7.	Zamites tenuinervis, sp. nov	171
	7.	Base of a leaflet of medium size	171
Fig.	12.	Zamites? sp. ?	173
	12.	Tip of a leaflet	173
Fig.	13.	Zamites subfalcatus, sp. nov	173
		Terminal portion of a leaf	173






PLATE LXXXV.

PLATE LXXXV.

172	1.0.0.0 N. amanaga variannas in man
rigs.	1, 2, 8, 9. NAGEIOPSIS LONGIFOLIA, sp. nov. 1. Portion of the upper part of a large leaf. 2. Basal portion of a large leaf
	Fragment from Deep Bottom. It has the nerves finer and more closely placed than usual
	9. Tip of a small leaf.
Fig.	3. Zamites subfalcatus, sp. nov
Fig.	4. Zamites ovalis, sp. nov. 4. Nearly entire leaflet
Fig.	5. Felldeniopsis crassinervis, sp. nov. 5. Nearly entire leaf
Fig.	6. Nageiopsis inæquilateralis, sp. nov
Fig.	7. Nagelopsis obtusifolia, sp. nov. 7. Leaf attached to the stem
Figs.	10, 15. PODOZAMITES ACUTIFOLIUS, Sp. nov. 10, 15. Detached leaflets varying in size . 15 ^a . Summit of 15, magnified .
Fig.	11. Nagelopsis acuminata, sp. nov 11. Eutire leaf with a bit of the stem attached
Figs.	12, 16. PODOZAMITES DISTANTINERVIS, Sp. nov. 12, 16. Fragments of large leaves
Fig.	13. Araucaria obtusifolia, sp. nov. 13. Summit of a small twig
Fig.	14. Nagelopsis microphylla, sp. nov






PLATE LXXXVI.

PLATE LXXXVI.

		·
Figs.	1-3, 5.	NAGEIOPSIS MICROPHYLLA, sp. nov
		Summit of a leafy branch
		Fragment of a leafy branch
		Portion of a leafy branch with leaves of unusual shape
	5.	Stem with leafy branches
Fig.	4.	Araucaria podocarpoides, sp. nov
		Small portion of a branch.
Fig.	6, 7.	NAGEIOPSIS HETEROPHYLLA, sp. nov
		Portion of a large stem with two leafy branches
		Leaf magnified
		Portion of a stem with dissimilar leaves
Figs.	8, 9.	Nageiopsis angustifolia, sp. nov
		Portion of a leafy stem with two opposite branches
		Fragment of a stem carrying a leafy branch, which in turn has two opposite branches






PLATE LXXXVII.

PLATE LXXXVII.

		Page.
Fig.	1. Podozamites acutifolius, sp. nov	181
	1. Portion of a detached leaflet	181
Figs	-6. Nageiopsis angustifolia, sp. nov	202
	2. Portion of a leafy stem with two opposite branches	202
	2 ⁿ . Leaf magnified	202
	3. Fragment of a stem with very narrow leaves	202
	4. Portions of two leafy branches.	202
	5. Portion of a large branching stem	202
	5a. Leaf enlarged	202
	6. Fragment of a leafy stem	202
	6a. Basal portion of a leaf magnified	202






PLATE LXXXVIII.

PLATE LXXXVIII.

Figs. 1, 3	3, 4, 6-8. NAGEIOPSIS ANGUSTIFOLIA, sp. DOV
	1. Portions of leafy branches with narrow leaves unequal in size
	3. Portion of a branching stem with small leaves
	4. Small fragment of a leafy branch
	6. Fragments of two branches
	7. Portion of a branch with large leaves
	8. Portion of a branching stem with very narrow leaves
Fig.	2, 5. Nageiopsis heterophylla, sp. nov
	2. Portion of a branching stem, showing the basal leaves on the upper side of the ultimate branches smaller than the rest
	2º. Leaf magnified, nerves not fully shown
	5. Terminal portion of an ultimate branch, showing the terminal leaf






PLATE LXXXIX.

PLATE LXXXIX.

			Page
Figs.	1, 3.	Baieropsis expansa, sp. nov	20
	1.	Portion of terminal leaf with fragments of the next lower right-hand leaf	20
	3.	Fragments of the terminal leaf with a portion of the next lower right-hand leaf	207
	3n.	Fragment of 3 magnified	20
Fig.	2.	Nageiopsis angustifolia, sp. nov	20:
	2.	Fragment of a leafy branch	209
	2ª.	Leaf of 2 magnified	20
Fig.	4.	Baieropsis pluripartita, sp. nov	208
		Summit of a leafy stem with leafy branches	20









PLATE XC.

**		D
Fig.		Baieropsis expansa, sp. nov
	1.	Fragments of several subordinate laciniæ
Figs.	2-5.	Baieropsis pluripartita, sp. nov
	2.	Summit of a stem, showing part of a terminal leaf and the next lower pair, with
		portions of still lower leaves on leafy branches
	2ª.	Portion of a primary segment magnified
	3,	Summit of a leafy branch with portions of the terminal leaf and of the pair next
		below and fragments of lower leafy branches
	4.	Portion of a stem carrying what seem to be small nut-like seed
	4.	Portion of 4 magnified
	5.	Terminal portion of a stem with leafy branches
GIG.	6.	BAIEROPSIS MACROPHYLLA, Sp. nov.
	6.	Fragments of a very large leaf bearing curious excrescences on its surface
		Portion magnified, to show the character of the excrescences

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE XC









PLATE XCI.

	_	The state of the s	Pa
F1GS. 1, 3, 4,	, 7.	Baieropsis pluripartita, sp. nov	
	1.	Portion of the summit of a primary leafy branch	
	3.	Portion of a primary leafy branch with fragments of several subordinate leafy branches.	
	3ª.	Portion of a primary segment of a leaf magnified. The tips of the ultimate lacinize are not depicted	
	4.	Portion of a primary and two subordinate leafy branches	
	7.	Small fragment of a primary leafy branch with traces of fractification	
FIG.	2.	Baieropsis expansa, sp. nov	
		Fragment of a stem with portions of leaves on each side	
		Portion of a segment of a leaf magnified	
Fig.	5.	Baieropsis pluripartita, var. minor, sp. nov	
		Portions of the leaves on a subordinate leafy branch	
Fig.	6.	Baieropsis longifolia, sp. nov	
	6.	Portions of leafy branches showing unusually long segments in the leaves	,






PLATE XCII.

MON XV---36

PLATE XCII.

		Page.
		208
1.	Fragments of the upper part of a primary leafy branch with portions of the subor-	
	dinate leafy branches on the right-hand side	208
2.	Fragment of the upper part of a primary leafy branch	208
6.	Fragment of a primary leafy branch, showing a portion of the terminal leaf and	
	fragments of the lower subordinate leafy branches	208
3, 4.	Baieropsis pluripartita, var. minor, sp. dov	208
3.	Portion of the upper part of a primary leafy branch	208
4.	Fragments of the subordinate leafy branches	208
5.	Baieropsis expansa, sp. nov	207
		207
7.	Baieropsis denticulata, var. angustifolia, sp. nov	210
7.	Portion of a primary leafy branch	210
		210
8.9.	Baieropsis adiantifolia, sp. nov	211
		211
		211
		211
	1. 2. 6. 3, 4. 3. 4. 5. 7. 7° 8, 9. 8. 8°	Fragment of the upper part of a primary leafy branch Fragment of a primary leafy branch, showing a portion of the terminal leaf and






PLATE XCIII.





PLATE XCIII.

			Page
Figs.	1-3.	Baieropsis adiantifolia, sp. nov	21
	1.	Several fragments of leaves with an entire leaf.	21
	1ª.	Leaf magnified	21
	2.	Upper portion of a leafy branch with parts of several leaves of large size	21
	3.	Terminal portion of a leafy branch with portions of all the leaves originally present.	21
Figs.	4-6.	Baieropsis foliosa, sp. nov	20
	4.	Portion of a primary leafy branch having small and comparatively broad leaves	20
	4ª.	Leaf magnified	20
	5.	Summit of a primary leafy branch, showing portions of the leaves and of the sub-	
		ordinate leafy branches	20
	6.	Summit of a leafy branch with narrow leaves	20
	6a	Leaf magnified	20
Fig.		Baieropsis denticulata, sp. nov	21
	7.	Portion of a primary branch carrying portions of several subordinate leafy	
		branches	21
	78.	Leaf restored and magnified	21






PLATE XCIV. .

PLATE XCIV.

FIG.	1.	Baieropsis adiantifolia, var. Minor, sp. nov. Summit of a leafy branch with portions of several leaves.
	1ª.	Leaf restored and magnified
Figs.	2, 3.	Baieropsis adiantifolia, sp. nov
		Fragments of several leaves
	3.	Portion of the stem with fragments of several leaves
Fig.	4.	ACROSTICHOPTERIS DENSIFOLIA, Sp. nov
	4.	Small fragment of a compound pinna
	4ª.	Leaf magnified
Figs.	5, 9, 10, 12.	ACROSTICHOPTERIS PARVIFOLIA, Sp. nov.
		Portion of a small subordinate branch
	5a.	Leaf magnified
	9.	Portion of a primary branch with two subordinate ones
	9ª.	Leaf ungnified
		Summit of a leafy branch
		Leaf restored and magnified
		Portion of a primary leafy stem with several subordinate leafy branches
	12ª.	Leaf magnified
Figs.	6, 7, 11, 14.	ACROSTICHOPTERIS PARCELOBATA, Sp. nov
	6, 7.	Portions of stems with fragments of leaves
	11.	Portion of the summit of a branch with several entire leaves
		Leaf magnified
	14.	Entire leaf magnified, corresponding to a leaf of 6
FIG.	8,	ACROSTICHOPTERIS CYCLOPTEROIDES, sp. nov
		Detached entire leaf
Fig.	13.	Baiera foliosa, sp. nov
	13.	Summit of a branch carrying many leaves






PLATE XCV.

PLATE XCV.

Figs.	1-5.	Frenelopsis ramosissima, sp. uov	Page, 215
		Portions of branches which have mostly lost the epidermis but still retain the	
		bark	215
	2.	Stem with branches which retain the epidermis, showing joints unusually long,	
		the branching being much less copious than usual	215
	3,	Portion of a stem which in places retains the epidermis and shows the character of	
		the older leaves	215
	4.	Portion of a stem carrying undeveloped branches and buds	215
	5.	Portion of a stem which for the most part retains the epidermis and contains	
		unusually short joints	215

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE XCV






PLATE XCVI.

PLATE XCVI.

			Page.
Figs.	1-3.	Frenelopsis ramosissima, sp. nov	215
	1.	Portion of a decorticated stem with numerous and crowded ultimate branches	215
	2.	Portion of a large decorticated stem with comparatively long and remotely placed	
		ultimate branches	215
	3,	Portions of two old and mostly decorticated stems	215





PLATE XCVII.

PLATE XCVII.

			Page.
FIGS.	1-6.	Frenelopsis ramosissima, sp. nov	215
	1.	Fragment of a large decorticated stem	215
	2.	Portion of a decorticated branch having ultimate branches unusually small	215
	3.	Portion of a decorticated branch with remotely placed ultimate branches	215
	4.	Fragment of epidermis much magnified, showing the linear arrangement of the	
		tubercles	215
	5, 6,	Forms of older leaves magnified	215






PLATE XCVIII.

PLATE XCVIII.

			Page.
Figs.	1-6.	Frenelopsis ramosissima, sp. nov	215
	1.	Imprint of a portion of a decorticated branch with ultimate twigs	215
	2.	Imprint of a large decorticated branch carrying many nltimate branches or twigs	213
	3, 4.	Forms of leaves magnified	218
	5.	Portion of the upper part of a branch carrying very small ultimate branches	21:
	5ª.	Penultimate branch with ultimate branches magnified, all decorticated	213
	6.	Portion of a decorticated branch carrying very small penultimate and ultimate	
		branches	215

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE XCVIII






PLATE XCIX.

PLATE XCIX.

			Page.
FIGS.	1-4.	Frenelopsis ramosissima, sp. nov	218
	1.	Portion of a stem with numerous bads and nudeveloped branches	215
	1ª.	Portion of an undeveloped branch carrying several buds magnified	218
	2.	Imprint of a branch of considerable size, showing joints and the scar left by a	
		branch	215
	3,	Fragments of several stems decorticated in part	213
	4.	Portion of a stem with undeveloped branches and buds	219
	4a.	Undeveloped branch magnified	219
	4b.	Portion of an undeveloped branch carrying a bud magnified	218






PLATE C.

mon xv-___37

PLATE C.

	•		Page.
Figs.	1-3.	Frenelopsis ramosissima, sp. nov	215
	1.	Restoration of a subordinate branch, showing the penultimate, and ultimate	
		branches	215
	2.	Portion of a partially decorticated branch	215
	3.	Portion of a stem in a decorticated condition, showing scars left by the leaves on the older decorticated stems, and also the umbellate arrangement of the	
		branches	215
Fig.	4.	Brachyphyilum crassicaule, sp. nov	221
	4.	Portion of a branching stem	221







PLATE CI.

PLATE CI.

		rage
Fig.	1. Frenelopsis ramosissima, sp. nov	21
	1. Fragment of a decorticated branch	213
Figs.	2.3. Leptostrobus longifolius, sp. nov	22
	2. Portions of large leafy branches with the upper parts broken off	22
	3. Summit of a leafy branch	22
Fig.	4. Leptostrobus foliosus, sp. nov	230
1 10.	4. Portion of a leafy branch with a lateral branch near the summit	230








PLATE CII.

			Page
Figs.	1. 2.	Leptostrobus longifolius, sp. nov Several short lateral branches with leaves at the summit in tufts. Summit of a large branch with several short leafy branches, having leaves only at the tips. Portion of a large leafy branch with the upper part broken off	220 220 220 220
	4.	Portion of a bundle of leaves, probably belonging to a short branch	228
Figs.	5. 6,	Laricopsis Brevifolia, sp. nov. Portion of a branch with two naked branchlets. Upper part of a leafy branch. Leaves of 6 magnified.	23- 23- 23- 23-
Figs.	7.	Laricopsis longifolia, sp. nov. Portion of a large branch nearly bare of leaves Fragment of a leafy branch	23: 23: 23:
Figs.	9.	Laricopsis angustifolia, sp. nov. Upper part of a branching twig. Fragments of two branches, showing scars on the upper surface	23 23 23






PLATE CIII.

PLATE CIII.

			Page
Figs.	1, 4.	Laricopsis angustifolia, sp. nov	23
	1.	Portion of a branching twig	23
	4.	Portion of a stem with very narrow leaves	23
Figs.	2, 3.	Laricopsis longifolia, sp. nov	28
	2,	Portion of a branch nearly bare of leaves	2:
	3.	Portion of a stem with leaves of the greatest length	28
Fig.	5.	Leptostrobus foliosus, sp. nov	2
	5.	Fragments of several detached leaves	2
		Portion of a leaf magnified	2
Figs.	6–12.	Leptostrobus longifolius, sp. nov	2
	6.	Several detached leaves of large size	2
		Portions of different leaves magnified to show the varying apparent nerves	2
	7.	Fragments of leaves of large size	2:
	8.	Fragments of a number of detached leaves	25
	8ª.	Fragment of a leaf magnified to show the nerves	2
		Fragment of a very long leaf	2
		Basal portions of leaves	2
		Portion of 10 magnified to show the parves	2






PLATE CIV.

PLATE CIV.

			Page.
FIG.	1.	LEPTOSTROBUS FOLIOSUS, sp. nov	230
	1.	Fragments of a number of detached leaves	230
Figs.	2, 3,	Cephalotaxopsis ramosa, sp. nov	237
		Fragments of a very large branch	237
		Portion of an ultimate branch with small leaves	237
Figs.	4, 5.	CEPHALOTAXOPSIS MAGNIFOLIA, Sp. nov	236
	4.	Fragment of an ultimate branch with small leaves	236
	5.	Fragment of a branch with leaves of the largest size	236
Fig.	6.	Leptostrobus longifolius, sp. nov	228
	6.	Basal portion of a leaf apparently attached in a clasping manner	228






PLATE CV.

PLATE CV.

Figs. 1, 2, 4	. Cephalotaxopsis magnifolia, sp. nov	236
1	. Fragment of a very large branch with scars of bud-scales and unusually small	
	leaves beneath them	236
14	. Basal portions of leaves magnified	236
11	. Tip of a leaf magnified	236
2	. Summit of an ultimate twig, showing terminal leaflet	236
4	. Portion of a branch with leaves of the largest size	236
Fig. 3	. Cephalotaxopsis brevifolia, sp. nov	238
:	. Portion of a branch showing leaves of the largest size	238






PLATE CVI.

PLATE CVI.

	Page.
Figs. 1, 3. Cephalotaxopsis magnifolia, sp. nov	 236
1. Portion of an ultimate branch with small leaves	 236
1a. Leaf magnified, showing wrinkling.	236
3. Fragment with large leaves.	 236
Figs. 2, 4. Cephalotaxopsis ramosa, sp. nov.	 237
2. Portious of several detached ultimate branches	237
4. Fragment of an ultimate branch with leaves of the smallest size	 237
4°. Leaf magnified	 237
Fig. 5. Cephalotaxopsis brevifolia, sp. nov	 238
5. Fragment of a branching twig having leaves of medium size	238





PLATE CVII.

Figs.	1, 2, 4. Cephalotaxopsis magnifolia, sp. nov
	1. Portion of an ultimate branch with small leaves
	2. Fragments of branches with small leaves
	4. Portion of a branch with large leaves
	4a. Basal portion of a leaf magnified
Fig.	3. Cephalotaxopsis ramosa, sp. nov
	3. Portion of a twig showing whorl of branches
Fig.	5. Cephalotaxopsis brevifolia, sp. nov
	5. Portion of a twig with leaves of medium size
	5a. Leaves of 5 magnified






PLATE CVIII.

MON XV---38

PLATE CVIII.

		Lago
Figs. 1.	3, 4. Cephalotaxopsis magnifolia, sp. nov	236
	1. Portion of a branching twig with small leaves	236
	3. Portion of an ultimate branch with leaves of large size	236
	4. Portion of an ultimate branch with leaves of the largest size	230
Fig.	2. Cephalotaxopsis ramosa, sp. nov	237
	2. Fragments of a branching stem	237
Fig.	5. Cephalotaxopsis microphylla, sp. nov	238
rio.	5. Fragment of a twig with leaves of medium size	238

U. S. GEOLOGICAL SURVEY






PLATE CIX.

PLATE CIX.

Figs.	1-7. Brachyphyllum crassicaule, sp. nov
	1. Portion of a stem with remotely placed penultimate branches
	1a. Portion of I magnified
	16. A portion of 1 magnified, showing granulation on the leaves
	2. Upper part of a penultimate branch
	3. Fragment of a bifurcating branch
	4. Upper part of a penultimate branch, showing a common arrangement of the ulti-
	mate branches in this part
	4º, Portion of 4 magnified
	5. Upper part of a small penultimate branch; a common form
	6. Summit of a penultimate branch carrying a partially destroyed cone
	7. Upper part of a large penultimate branch
Fig.	8. Torreya Virginica, sp. nov
r iG.	
	8. Portion of an ultimate branch
	8a. Leaf of 8 magnified
FIG.	9. Cephalotaxopsis microphylla, sp. nov
	9. Upper part of a leafy branching twig






PLATE CX.

PLATE CX.

			Page.
Figs.	1-3.	Brachyphyllum crassicaule, sp. nov	221
	1.	Portion of a large decorticated branch, showing only the imprint of the decorti-	
		cated material	221
	2.	Upper portion of a penultimate branch	. 221
		Portion of a bifurcating branch	221
		Part of 3 magnified	221
Fig.	4.	Brachyphyllum parceramosum, sp. nov	223
	4.	Fragments of several branches, some of them detached and overlapping, showing	
		dichotomons mode of branching	223








PLATE CXI.

PLATE CXI.

Figs.	1-5. Frenelopsis parceramosa, sp. nov
	1. Portion of a stem with large branches, partly restored
	2. Portion of a stem with remote branches
	3. Fragment of an ultimate branch of medium size
	3a. Portion of 3 magnified
	4. Portion of a small stem with small and remote branches, one of them branching
	again
	5. Small fragment of an ultimate branch of medium size
Free	6, 7. Brachyphyllum crassicaule, sp. nov
F 105.	
	6. Fragment of a large branch
	7. Fragment of a stem of medium size with several branches
	7a. A portion of 7 magnified






PLATE CXII.

PLATE CXII.

Figs.	1-5.	Frenelopsis parceramosa, sp. nov
	1.	Small portion of two branches of medium size
	2.	Fragment of a rather large ultimate branch
	3.	Unusually long fragment of an ultimate branch
	3ª.	Portion of 3 magnified to show the arrangement of the epidermal tubercles in lines.
	4.	Portion of an ultimate branch having the greatest width seen
	5.	Portions of two stems, showing an umbellate arrangement of the branches
Figs.	6-8.	Brachyphyllum crassicaule, sp. nov
		Upper portion of a penultimate branch
		Portion of a stem with short ultimate branches
		Upper part of a penultimate stem or branch, showing a bifurcation in two of the ultimate branches.
Figs.	9-11.	SEQUOIA CYCADOPSIS, sp. nov
	9.	Portions of twigs with leaves of the largest size
	9a.	Leaf magnified
	10.	Portion of a twig with leaves of the largest size magnified, showing the keeled midrib on the under side
	11.	Portion of a twig showing small-sized leaves
	11ª.	Leaf of 11 magnified






PLATE CXIII.

PLATE CXIII.

Figs.	1-3.	SEQUOIA CYCADOPSIS, sp. nov
	1.	Portions of twigs near the ends with leaves of the smallest size
	la.	Leaves magnified
	2.	Portion of a twig with small leaves
		Leaves magnified
	3.	Portion of the upper part of a twig with narrow, long leaves
Fig.	4.	TORREYA FALCATA, Sp. nov
	4.	Portion of a twig with small leaves
	4a.	Leaves magnified
Figs.	5, 6.	Athrotaxopsis expansa, sp. nov
	5.	Fragment of a widely spreading branch
	5ª.	Fragment magnified to show the lateral leaves, those on the upper face of the
		twigs having been removed by maceration
	5b.	Portion of the ultimate twigs magnified, showing all the leaves in place
	6.	Fragment of a branch showing all the leaves retained








PLATE CXIV.

			Page.
Figs.	1-3.	ATHROTAXOPSIS GRANDIS, Sp. nov	240
	1.	Fragments of a large branch, showing twigs which contain cones in the lower	
		portions and leafy branches without cones in the upper parts	240
	2.	Fragments of very long slender branches containing leafy twigs	240
	3.	Fragment of a branch associated with several detached cones	240
	3ª.	Scale of a cone magnified	240
Figs.	4, 5.	ATHROTAXOPSIS TENUICAULIS, sp. nov	241
	4.	Fragment of a branch carrying very small ultimate twigs	241
		Portion of an ultimate twig magnified	241
		Fragment of a twig which branches with unusual copionsness, and which has the	
		ultimate twigs more crowded than is common	241



MOSS END CO., N F





PLATE CXV.

PLATE CXV.

		ra
Figs.	1, 3. Athrotaxopsis pachyphylla, sp. uov	,
	1. Upper part of a small branch	
	1a. Portion of au ultimate twig magnified	
	3. Portion of a small copionsly branching twig	
Fig.	2. Athrotaxopsis expansa, sp. nov	
	2. Portions of a widely expanded branch	
Fig.	4. Athrotaxopsis tenuicaulis, sp. nov	
	4. Fragments of a branching stem with ultimate twigs of the largest size	
	4a. Portion of an ultimate twig magnified	






PLATE CXVI.

mon xv-39

PLATE CXVI.

Figs	. 1~4. Athrotaxopsis grandis, sp. nov
	1. Fragments of a large branch bearing cones only
	2. Fragment of a comparatively small cone-bearing branch. The uppermost minor
	branch shows that these do not always lie in the same plane
	2ª. Scale of a cone of 2 magnified.
	3, 4. Portions of small branches with ultimate leafy twigs. These, as shown in 3, do
	not lie strictly in one plane
	3a. Portion of 3 magnified
Fig.	5. Athrotaxopsis expansa, sp. nov
	5. Portion of a twig with remote leafy branches
Fig.	6. Athrotaxopsis tenuicaulis, sp. nov
2 201	6. Termination of two penultimate branches, showing at the ends ultimate twigs
	similar to those lower down on the popultimate branches
Fig.	7. Sequoia, sp ?
	7. Cross-section of a cone flattened by pressure and retaining only a few scales






PLATE CXVII.

PLATE CXVII.

Figs.	1, 3-5.	ATHROTAXOPSIS PACHYPHYLLA, sp. nov
	1.	Portion of a twig with remote ultimate branches
	3.	Portion from near the tip of a penultimate twig
	3a, 3b.	Portions of 3 magnified
	4.	Fragment of a penultimate branch
	4ª.	Portion of 4 magnified
	5.	Fragment of a branch with slender ultimate twigs partially decorticated
	5ª.	Portion of 5 magnified
Fig.	2.	Athrotaxopsis tenuicaulis, sp. nov
		Fragment of a branch with crowded ultimate twigs of the largest size
		Portion of 2 magnified
Fig.	c	ATHROTAXOPSIS EXPANSA, Sp. nov
FIG.		Fragment of a branch showing a distorted cone
_		
Fig.		Sequoia subulata Heer
		Fragment of an old twig showing leaves unusually narrow and remote
	7ª.	Leaf magnified
Fig.	8.	SEQUOIA REICHENBACHI (Gein.) Heer, var. LONGIFOLIA
	8.	Fragment of a branch with leaves in all cases lacking their tips
	8a.	Leaf magnified, but lacking the tip.








PLATE CXVIII.

Figs.	1, 4. Sequoia Reichenbachi (Geinitz. sp.) Heer
	1. Portion of a twig with unusually remote leaves
	la. Leaf magnified
	4. Portion of a widely expanded leafy branch, slightly restored
Fig.	2. Sequoia ambigua Heer
	2. Small fragment of a branch
	2º. Leaves magnified
Fig.	3. Sequola rigida Heer
FIG.	3. Portion of a branch with leaves of the largest size.
	3ª. Leaves magnified
Figs.	5, 6. Sequoia subulata Heer
	5. Small fragment of an older twig
	5a. Portion of a leaf magnified
	6. Portions of several ultimate leafy twigs with leaves of maximum length
	6º. Leaves magnified
Fig.	7. Sphenolepidium Sternbergianum, var. densifolium Heer
	7. Fragment of a small twig



MONOGRAPH XV PLATE CXVIII








PLATE CXIX.

		Page.
Figs.	1-5. Sequoia Reichenbachi (Geinitz, sp.) Heer	243
	1. Portions of a large branch	243
	2. Fragment of a branch with densely crowded leaves	243
	2s. Portion of 2 magnified	243
	3. Fragments of a copiously branching twig carrying short leaves	243
	4. Portion of an old twig showing scars of fallen leaves	243
	5. Portion of an old twig, slightly magnified and showing leaf-scars, partially re-	
	stored	243

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE CXIX






PLATE CXX.

PLATE CXX.

Fres.	1-6.	Sequola ambigua Heer, sp. nov	Page. 245
2000		Portion of a branch with a cone. The upper cone seems to be placed by accident on the leafy twig carrying it.	245
	2.	Fragment of a branch showing scars of fallen leaves on the upper surface of the stem	245
	2ª.	Scar magnified	245
		Fragment of a partially decorticated branch, retaining a portion of only one ultimate twig	245
	4.	Portion of a branch with many leafy twigs	245
		Summit of a leafy branch with unusually long leaves	245
		Leafy twig with a cone at its apex	245
		Outer surface of a scale of the cone magnified	245
Figs.	7.8.	Sequoia Reichenbachi (Geinitz, sp.)Heer	243
		Fragment of an old branch with the leaves departing from the stem nearly at right angles.	243
	8.	Fragment of an ultimate twig.	243
	Sa.	Leaves of 8 magnified	243
Fig.		Sequoia, sp.?	243
		Stem of Sequoia, showing leaf-scars	243






PLATE CXXI.

PLATE CXXI.

		Page
Fig.	1. Araucaria zamioides, sp. nov	25
	1. Tip of an ultimate twig	25
	1ª. Leaves magnified	25
Fig.	2. Sequola rigida Heer	24
rig.	2. Portion of a twig with leaves of medium size	24
	28. Leaves magnified	24
	- Control of the Cont	
Fig.	3. Sequoia delicatula, sp. nov	24
	3. Portion of a leafy branch slightly restored	24
	3ª, Portion magnified	24
Fig.	4. Sequoia densifolia, sp. nov	24
	4. Portion of an ultimate twig	24
	4ª, Leaves magnified	24
Figs.		26
rigs.	5, 7, 9. SPHENOLEPIDIUM STERNBERGIANUM, var. DENSIFOLIUM Heer	26
	5,7. Portions of detached ultimate twigs	26
	5a, 5b. Different portions of 5 magnified	26
	7a, Leaves of 7 magnified	26
	9. Portion of a twig with several branches	26
	9a. Leaves magnified	
FIG.	6. Taxodium (Glyptostrobus) Virginicum, sp. nov	25
	6. Portion of a branch with several ultimate twigs	25
Fres.	8, 10, 11. Sphenolepidium Sternbergianum (Dunk. sp.) Heer	26
	8, 11. Portions of ultimate twigs	26
	8a. Leaves of 8 magnified	26
	10. Portions of several ultimate twigs	26
	10a Leaves monified	26






PLATE CXXII.

PLATE CXXII.

Fig.	1. Taxodium (Glyptostrobus) Brookense, sp. nov	254
	1. Portion of a large widely expanded branch, with twigs of maximum thickness,	
	slightly restored	254
	1a, 1b. Portions of ultimate twigs magnified.	254
	1b. Shows the more characteristic form and attachment of the leaves	254
Fig.	2. Sequoia Reichenbachi (Geinitz, sp.) Heer	243
	2. Probably a portion of an older twig of Sequoia Reichenbachi	243








PLATE CXXIII.

			Page
Fig.	1.	TAXODIUM (GLYPTOSTROBUS) EXPANSUM, Sp. nov.	25
		Fragment of a wide-spreading branch.	25:
	1ª.	Leaves of the ultimate twigs magnified	259
		Leaves of the main stem magnified	259
Figs	. 2, 3.	TAXODIUM (GLYPTOSTROBUS) RAMOSUM, sp. nov	25:
		Fragment of a medium-sized branch	25
	2ª.	Portion of the same magnified, and showing at b the tip of one of the ultimate	
		twigs where a male strobile has fallen off	25:
	3.	Fragment of a copiously branching stem with many short ultimate twigs	25
	3a, 3b.	Short ultimate twigs magnified	25






PLATE CXXIV.

mon xv----40

PLATE CXXIV.

_			Page.
Fig.		TAXODIUM (GLYPTOSTROBUS) DENTICULATUM, Sp. nov	253
		Small fragment of a branch	253
	Iª.	Portion of 1 magnified	253
Fig.	2.	TAXODIUM (GLYPTOSTROBUS, RAMOSUM, sp. nov	251
	2.	Several fragments of branches showing ultimate twigs from the tips of which male	
		strobiles have fallen	251
	2ª.	Ultimate twig magnified	251
Ergo		Taxodium (Glyptostrobus) Brookense, sp. nov	254
r igs.			
		Fragment of branches showing leaves unusually divergent	254
		Portion of a twig magnified	254
	4, 8.	Fragments of branches with ultimate twigs of the maximum normal thickness	254
	4ª.	Portion of an ultimate twig magnified	254
5	6, 6, 7.	Portions of ultimate twigs of unusual thickness; 7 has the leaves more than com-	
		monly divergent	254
	7ª.	Portion of 7 magnified	254
		Fragments of a branch with thick ultimate twigs and the leaves on the main stem	
		unusually divergent	254






PLATE CXXV:

PLATE CXXV.

		Page.
Figs.	1,3. Taxodium (Glyptostrobus) fastigiatum, sp. nov	253
	1. Fragments of a very large branch	253
	1º. Leaves of the principal stem magnified	253
	1b. Leaves of the ultimate twigs magnified	253
	3. Fragments of subordinate twigs	253
	3ª. Part of 3 magnified	253
Fig.	2. Sphenolepidium Sternbergianum Heer, var. densifolium	261
	2. Small fragment of a branch	261
	2º. Leaves magnified	261
Fig.	4. Sphenolepidium Virginicum, sp. nov	259
	4. Fragment of a branch bearing ripe cones and male strobiles; male strobiles at a	259
	48 Leaves magnified	259






PLATE CXXVI.

PLATE CXXVI.

			Pag
Figs	1, 5, 6.	Sphenolepidium Kurrianum Heer	26
	1.	Portion of a copiously branched twig	26
		Portion of 1 magnified	26
		Portions of several detached branches	26
		Portion of 5 magnified	26
		Portion of a copiously branched twig	26
		Portion of 6 magnified	20
Fig.	2.	Sequoia rigida Heer	24
		Fragment of a copiously branched twig	24
		Leaves magnified	24
Figs.	3, 4.	Sequoia gracilis Heer.	24
		Portion of a small twig	24
		Leaves magnified	24
		Fragment of a copiously branching twig	24






PLATE CXXVII.

PLATE CXXVII.

		Pag
Fig.	1. Taxodium (Glyptostrobus) ramosum, sp. nov	2
	1. Fragment of a medium-sized branch	2
Fig.	2. Sphenolepidium recurvifolium, sp. nov	9
	2. Portions of a large branch slightly restored	9
	2º. Leaves of 2 magnified	,
Figs.	3, 4. Sphenolepidium dentifolium, sp. nov	
	3. Fragment of a branch with unusually slender woody axes. Two branches over ap	
	4. Termination of a twig with leaf-buds	
Fig.	5. Sequoia ambigua Heer	
	5. Fragment of a leafy branch	9
	5a. Leaves magnified	6






PLATE CXXVIII.

PLATE CXXVIII.

		Pag
Figs. 1,7.	SPHENOLEPIDIUM KURRIANUM Heer.	20
1.	Fragment of a copiously branching twig	2
	Portion of 1 magnified	2
	Fragment of a branch with thick ultimate twigs	2
	Portion of 7 magnified	2
Figs. 2-6.	Sphenolepidium dentifolium, sp. nov	2
2.	Portions of detached twigs of the largest size	5
2a.	Portion of 2 magnified	6
3, 4, 6.	Fragments of twigs of average size	5
3a, 6a.	Portions of 3 and 6 magnified	2
5.	Fragments of twigs with closely placed ultimate branches	5
50	Leaves magnified	9






PLATE CXXIX.

PLATE CXXIX.

Figs. 1,	2, 4, 6, 8. Sphenolepidium Kurrianum Heer
	1. Fragment of a branch with unusually small leaves
	1a. Leaves magnified
	2. Portion of a twig with narrow and unusually divergent leaves; possibly a variety
	4. Small fragment with dimorphous leaves
	4º. Leaves of the main stem magnified
	6. Small portion of an ultimate twig. It has the appearance of Inolepis Heer
	8. Portions of several twigs attached to a large stem
	8a. Portion of the twigs magnified
Fig.	3. Sphenolepidium Sternbergianum Heer, var. densifolium
	3. Portion of a twig with unusually broad leaves
	3ª. Portion of 3 magnified
Fig.	5. Sphenolepidium dentifolium, sp. nov
	5. Portion of a small twig
Fig.	7. SPHENOLEPIDIUM PARCERAMOSUM, Sp. nov
	7. Fragment of a very long and slender branch
	7a. Leaves of the main stem magnified
	76. Leaves of the ultimate twigs magnified






PLATE CXXX.

PLATE CXXX.

Fig.	SPHENOLEPIDIUM STERNBERGIANUM, var. DENSIFOLIUM Heer Fragment with large lateral leaves, and showing no facial ones Leaves magnified	Page. 261 261 261
Figs.	2,7. SPHENOLEPIDIUM RECURVIFOLIUM, sp. nov 2. Portion of an ultimate twig 2s. Leaves magnified 7. Portion of a branching twig 7s. Leaves magnified	258 258 258 258 258
Fig.	3. Sequoia rigida Heer 3. Fragments of twigs with short leaves 3a. Leaves magnified.	246 246 246
Figs.	4-6, 10. SPHENOLEPIDIUM DENTIFOLIUM, Sp. nov 4. Fragment of a large branch with small leaves. 4. Leaves magnified. This form and 5 look like some forms of Sphenopteris Mantelli. 5. Fragment of a large ultimate twig. 5. Leaves magnified. 6. Tip of a twig with two lateral leaf-buds and a terminal undeveloped twig. 10. Portion of a small twig. 10. Leaves magnified.	258 258 258 258 258 258 258 258
Fig.	8. SPHENOLEPIDIUM PARCERAMOSUM, sp. nov	257 257 257
FIG.	9. SPHENOLEPIDIUM STERNBERGIANUM Heer 9. Portion of a twig with normal leaves 9a. Leaves magnified.	261 261 261
Fig.	Sphenolepidium Kurrianum Heer Small fragment of a branch; the detached leaf-bud near it is probably that of Sphenolepidium dentifolium.	260 260
	11ª. Leaves magnified	260






PLATE CXXXI.

PLATE CXXXI.

			Page.
Figs.	1, 3.	SPHENOLEPIDIUM STERNBERGIANUM, Var. DENSIFOLIUM Heer	261
	1.	Fragment of a branch with undeveloped twigs and leat-buds	261
	1a-1c.	Portions of 1 magnified	261
		Fragments of very slender twigs	261
		Leaves magnified	261
Fig.		SPHENOLEPIDIUM PARCERAMOSUM, Sp. nov	257
r IG.			257
		Fragment showing long slender branches	257
Fig.	4.	SPHENOLEPIDIUM KURRIANUM Heer	260
	4.	Fragment showing stout twigs	260
Fig.	5.	TAXODIUM (GLYPTOSTROBUS) BROOKENSE, sp. nov	254
		Fragment of a branch showing unusually divergent lateral leaves	254
		Leaves magnified.	254
FIGS.		SPHENOLEPIDIUM PACHYPHYLLUM, Sp. nov	259
		Portion of a twig showing leaves of the largest size	259
	7.	Portion of a twig with lateral branches	259
	78	Leaves of 7 magnified	959

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE CXXXI






PLATE CXXXII.

MON XV-41

PLATE CXXXII.

			Page.
Fig.	1.	Taxodium (Glyptostrobus) ramosum, sp. nov	251
	1.	Portion of a fastigiately branched twig	251
	1ª.	Portion of 1 magnified	251
Figs.	2, 5, 6.	Sequoia, sp. ?	248
	2.	Portion of a cone seen erect	248
	2a, 2b,	Scales of 2 magnified	248
		Portions of cross-sections of cones	248
Fig.	3.	Sequoia ambigua Heer	245
	3.	Fragmeut of a small twig	245
		Portion of 3 magnified	245
Fig.	4.	SPHENOLEPIDIUM STERNBERGIANUM Heer, var. densifolium	261
	4.	Termination of a leafy twig	261
		Portion of 4 magnified	261
Fig.	7.	ABIETITES MACROCARPUS, sp. nov	262
		Fragment of a very long cone	262
Figs.	8, 9,	ABIETITES ELLIPTICUS, Sp. nov	263
		Portion of a cone showing the basal parts of the scales retained	263
		Portion of a cone exposing the axis	263
Fig.	10.	Sequoia, sp. ?	248
		Postion of a cone seen compressed in the direction of its axis	248






PLATE CXXXIII.

PLATE CXXXIII.

Fig.	ABIETITES ANGUSTICARPUS, sp. nov
Figs.	2-4. ABIETITES ELLIPTICUS, sp. nov 2. Portion of a cone showing the bases of the scales retained 3. Number of scales in natural position showing the parts by which the scales were attached
	4. Nearly perfect cone showing the basal parts of the scales
Figs.	5-7. WILLIAMSONIA VIRGINIENSIS, sp. nov 5. The summit of the peduncle and portions of bracts or leaves void of hair-like appendages
	6,7. The summits of the peduncle and bracts with hair-like appendages 6°. Portion magnified
Figs.	8-12. Araucarites Aquiensis, sp. nov








PLATE CXXXIV.

			Page.
Fig.	1.	CARPOLITHUS FASCICULATUS, sp. nov	265
		Group of nut-like seed	265
**		•	
FIGS.		Carpolithus ternatus, sp. nov	265
	2-4, 6, 8.	Groups of nut-like seed, associated mostly in clusters of threes	265
Fig.	5.	CARPOLITHUS AGGLOMERATUS, Sp. nov	267
		Clusters of seed.	267
FIG.		Araucarites Virginicus, sp. nov	263
	7.	Nearly perfect cone, with the scales retained, slightly restored	263
Fig.	9.	Carpolithus conjugatus, sp. nov.	267
		Group of seed arranged in a radiate manner	267
_			
Fig.		Carpolithus geminatus, sp. nov	267
	10.	Pair of nut-like seed	267
Figs.	11–14.	Carpolithus Virginiensis, sp. nov	266
		Groups of elliptical nut-like seed	266
		Magnified seed of 11 and 14, respectively	266
		Nut-like seed, somewhat different from those of 11, 13, and 14	266








PLATE CXXXV.

			Page.
Figs.		Carpolithus Virginiensis, sp. nov	266 266
		A detached seed	266
Figs.	2, 4.	Carpolithus Brookensis, sp. nov Detached seed with long beaks. A seed magnified	268 268 268
Fig.	3.	Carpolithus Latus, sp. nov Detached seed	269 269
Fig.		Leptostrobus ? (a) sp. ? sp. nov. ? Seed with a winged margin.	231 231
Fig.	7. 7º.	Ament of conifer (e), sp. ? What seems to be the male strobile of some conifer. Portion magnified. Single scale flattened and magnified	226 226 226 226
Fig.	8. 8.	Brachyphyllum, sp. ?	223 223
Fig.		Brachyphyllum, sp. ? Cone of what seems to be a Brachyphyllum distinct from that depicted in 8	224 224
Fig.		Athrotaxopsis grandis, sp. nov.	240 240
Figs.		CYCADEOSPERMUM SPATULATUM, sp. nov. Detached seed, that appear to be those of cycads.	271 271
Fig.		CYCADEOSPERNUM ACUTUM, sp. nov Apparently a seed of a cycadaceous plant	270 270
Fig.		Cycadeospermum obovatum, sp. nov Probably a cycadaccous seed.	270 270
Fig.		Capsules, sp. ? Twinned capsules of undetermined species	270 270
Figs.	15, 18, 22. 15 ^a .	ATHROTAXOPSIS EXPANSA, sp. nov. Cones of varying size. Magnified form of 15 Scale of 15 magnified.	241 241 241 241
Fig.	16.	Ament of Angiosperm, sp. ? What seems to be a portion of an Angiosperm ament Portion of 16 magnified.	272 272 272
Fig.		Carpolithus curvatus, sp. nov What seems to be a nut-like seed.	269 269
Fig.		Cycadeospernum ellipticum, sp. nov Seed apparently of a cycadaceous plant.	271 271
Fig.		CYCADEOSPERMUM ANGUSTUM, sp. nov	271








PLATE CXXXVI.

Fig.	1.	Macrospores, ? sp. ? What seem to be Macrospores Magnified form from 1
Fig.	2.	Aments of conifers (a), sp. ? Group of detached aments An ament magnified
Fig.		Aments of conifers (b), sp.? Gives aments distinct from aments (a)
Fig.	4.	Aments of conifers (c), sp. ? Gives aments distinct from aments (a) and (b). Ament magnified
Fig.	5.	Aments of conifers (d) , sp. ? Aments different from those designated as aments (a) , (b) , (c) . Ament magnified
Fig.		Carpolithus Brookensis, sp. nov. A detached seed of unusual form
Fig.	7.	Pollen sacs ⁹ , sp. ⁹ . What scemed to be pollen sacs. Magnified form of ⁷ .
Fig.	8.	Aments of conifers (f), sp.?
Fig.		Carpolithus sessilis, sp. nov
Fig.	10.	LEPTOSTROBUS ? (b), sp. ? Winged seed probably of Leptostrobus Magnified form of 10
Fig.		Large winged seed
Fig.		CYCADEOSPERMUM ROTUNDATUM, sp. nov Detached seed
		Undetermined plant (a)
Fig.	14.	Undetermined plant (b)
Fig		CARPOLITHUS MUCRONATUS, sp. nov






PLATE CXXXVII.

PLATE CXXXVII.

		Page
FIG.	1. Undetermined plant (c)	27
	2, 3. Undetermined plant (d)	27
	4. Undetermined plant (e)	27
	5. Undetermined plant (f)	27
		000
Fig.	6. Acaciæphyllum longifolium, sp. nov	279
	6. Base of a large leaf	27

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE CXXXVII






PLATE CXXXVIII.

PLATE CXXXVIII.

		Page
Figs.	1-3. ACACLEPHYLLUM LONGIFOLIUM, sp. nov	279
	1. Portion of a stem and two leaves.	279
	2. Upper part of a large leaf	279
	3. Basal portion of a large leaf.	279
Figs.	4, 6-9. ACACLEPHYLLUM SPATULATUM, Sp. nov	280
	4. Leaf of medium size	280
	4º. Leaf magnified	280
	6. Lower part of a large leaf	280
	7. Small leaf acute at tip.	280
	8. Small leaf obtuse at tip	280
	9. Stem with leaves attached.	280
Fig.	5. Acaclephyllum microphyllum, sp. nov	280
r i.g.	5. Portion of a stem and a branch with attached leaves.	280
	5. Tortion of a stem and a branch with attached leaves	
Figs.	10-12. Ctenis imbricata, sp. nov	177
	10. Summit of a leaf	177
	11. Upper portion of a leaf with portions of leaflets	177
	12. Middle portion of a leaf with basal parts of leaflets	177
Fig.	13. Sagenopteris Virginiensis, sp. uov	150
	13. Upper part of a leaf	150
Fig.	14. Conospermites ellipticus, sp. nov	279
	14. Portion of a leaf.	279
	14°. Restored form of 14	279






PLATE CXXXIX.

PLATE CXXXIX.

		Page
	SAGENOPTERIS VIRGINIENSIS, sp. nov. Portion of the base of a leaf	15 15
	Proteephyllum, sp. ? sp. nov Tip of a leaf	28 28
3.	Proteæphyllum reniforme, sp. nov An entire léaf Leaf 3 enlarged three diameters.	28: 28: 28:
4. 4ª.	PROTE EPHYLLUM ORBICULARE, sp. nov Greater part of a leaf. Portion of 4 enlarged three diameters. Small portion of 4 more enlarged than 4s, to show ultimate reticulation.	28 28 28 28
5.	Proteæphyllum oblongifolium, sp. nov Basal portion of a leaf. Part of 5 enlarged three diameters.	28- 28- 28-
	Rogersia Longifolia, sp. nov	28° 28°
	Sassafras Parvifolium, sp. nov	28 28






PLATE CXL.

MON XV-42

PLATE CXL.

			Page
Figs. 1	, 2.	PROTEÆPHYLLUM OBLONGIFOLIUM, Sp. DOV	284
	1.	Basal portion of a leaf	284
	1ª.	Portion of 1 magnified three diameters	254
	2,	Restoration of the leaf, as made out by taking fragments belonging to different parts of it.	284
Fig.	3.	FICOPHYLLUM TENUINERVE, sp. nov	299
	3.	Fragment of an unusually large leaf.	299

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE CXL








PLATE CXLI.

	Page
FIG. 1. PROTEÆPHYLLUM OVATUM, Sp. nov	. 28
1. Portion of a leaf	
1º. Part of 1 magnified three diameters	
	20
Fig. 2. Ficophyllum tenuinerve, sp. nov	
2. Upper part of a leaf	. 29:
2a Portion of 2 magnified three diameters	. 29

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE CXLI






PLATE CXLII.

PLATE CXLII.

	Page.
Figs. 1, 2. Proteæphyllum ellipticum, sp. nov.	285
1. Basal portion of a leaf	285
1a. Portion of 1 magnified three diameters	
2. Restoration of the leaf, as made out from various fragments	285



PLATE CXLIII.

PLATE CXLIII.

		Page.
Figs.	1, 3. Figus Virginiensis, sp. nov	295
	1. Fragment of a leaf	295
	1a. Portion of 1 magnified three diameters	298
	3. Restoration of the leaf as made out from various fragments	295
Fig.	2. Rogersia angustifolia, sp. nov	28:
	2. Leaf nearly complete	288
	2a. Portion of 2 magnified three diameters	288

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE CXLIII






PLATE CXLIV.

PLATE CXLIV.

	Page
Fig. 1. Figus Virginiensis, sp. nov	. 298
1. Upper part of a leaf	
1º. Portion of 1 magnified three diameters	_ 298
Fig. 2. Rogersia longifolia, sp. nov	. 28
2. Middle portion of a leaf.	
2a. Portion of 2 magnified three diameters	. 28
26. Portion of 2 magnified more than 26, to show the ultimate reticulation	. 28
Fig. 3, Ficophyllum crassinerve, sp. nov	. 29
3. Unper portion of a large leaf	. 29

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE CXLIV






PLATE CXLV.

PLATE CXLV.

		 Page
Figs	s. 1, 4. Ficophyllum tenuinerve, sp. nov	 29:
	1. Tip of a large leaf	29
	4. Restoration of Ficophyllum tenuinerve as made out from numer	29
Fig.	2. Ficophyllum serratum, sp. nov	 29
2	2. Upper part of a leaf	29
Fig.	3. FICOPHYLLUM CRASSINERVE, sp. nov	 29
1 10.	3. Fragment of a leaf of medium size	29






PLATE CXLVI.

PLATE CXLVI.

		Page
FIG.	1. Ficophyllum crassinerve, sp. nov	29:
	1. Small fragment of a leaf	291
	1a. Portion of 1 magnified three diameters	
Figs	.2, 4. Saliciphyllum ellipticum, sp. nov	
	2. Fragment of the basal portion of a leaf.	30;
	4. Fragment of the upper part of a leaf	303
Fig.	3. Celastrophyllum arcinerve, sp. nov	304
1.00	3. Portion of the lower part of a leaf	
	3°. Part of 3 magnified three diameters	
Fig.	5. Celastrophyllum proteoides, sp. nov	304
	5 Nearly entire leaf	






PLATE CXLVII.

PLATE CXLVII.

		Page
Fig.	. 1. Sapindopsis cordata, sp. nov	290
	1. Nearly entire leaf	29
F1G	2. FICOPHYLLUM TENUINERVE, sp. nov	299
	2. Tip of a large leaf	299
Fig	3. Sapindopsis elliptica, sp. nov	29
	3. Middle portion of a leaf	293
	3ª. Part of 3 magnified three diameters	29
Fig	4. FICOPHYLLUM CRASSINERVE, sp. nov	29
	4. Fragment of a very large leaf, natural size.	29

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE CXLVII






PLATE CXLVIII.

mon xv---43

PLATE CXLVIII.

			Page
Figs. 1	, 2, 4. FICOPH	YLLUM CRASSINERVE, sp. nov	29
		part of a leaf	29
	2. Basal p	art of a leaf	29
	4. Fragme	nt of a large leaf	29
Figs.	3, 5, Ficus I	REDERICKSBURGENSIS, sp. nov	29
	3. Fragme	nt of the middle portion of a leaf	29
		of a small leaf	29








PLATE CXLIX.

Figs. 1		FICOPHYLLUM TENUINERVE, sp. nov
	1.	Fragment of a leaf
		Basal portion of a narrow leaf
	5.	Basal portions of two leaves apparently ence connected by attachment to the same twig
Fig.	2.	PHYLLITES PACHYPHYLLUS, sp. nov
	2.	Fragment from the middle part of a leaf
Figs.	4, 8.	Rogersia angustifolia, sp. nov
	4.	Nearly entire leaf
	4ª.	Portion of 4 magnified three diameters
	8.	Fragment of a narrow leaf
		Portion of 8 enlarged three diameters
Figs.	6,7.	QUERCOPHYLLUM TENUINERVE, sp. nov
		Small leaf nearly entire
		Basal portion of a large leaf
Fig.	9.	FICOPHYLLUM SERRATUM, sp. nov
	Q	Unner part of a leaf







PLATE CL.

PLATE CL.

			P
FIG.		Rogersia longifolia, sp. nov	
	1.	Basal portion of an unusually large leaf	
Figs.	2-7.	Rogersia angustifolia, sp. nov	
		Basal portions of leaves	
	4.	Upper part of a leaf	
		Tip and upper part of a leaf	
		Entire small leaf	
Fig.	8	Saliciphyllum ellipticum, sp. nov	
110,		A nearly entire leaf.	
_			
Figs.		VITIPHYLLUM (CISSITES) CRASSIFOLIUM, Sp. nov	
	9, 10.	Portions of the summit of the leaves or of primary segments	
Fig.	11.	Myrica Brookensis, sp. nov	
	11.	Two entire leaves attached to the stem	
Fig.	10	Saliciphyllum longifolium, sp. nov	
T. I.C.		Basal portion of a leaf	
	12".	Part of 12 magnified three diameters	
FIG.	13.	PROTEÆPHYLLUM TENUINERVE, sp. nov	
	13.	Fragment of apparently the middle part of the leaf.	








PLATE CLI.

			Page.
Fig.	1. 8	SAPINDOPSIS VARIABILIS, sp. nov	298
	1. U	Upper part of a compound leaf	298
	1º. I	Portion of 1 magnified to show nervation	298
Figs	2, 3, 8	SAPINDOPSIS MAGNIFOLIA, sp. nov	297
	2. T	Upper portion of a compound leaf	297
	3. 8	Several leaflets detached	297
Fig.	4. I	BOMBAX VIRGINIENSIS, sp. nov	316
	4. I	Lower portion of a leaf	316






PLATE CLII.

PLATE CLII.

			Page
Figs.	1, 4.	Sapindopsis variabilis, sp. nov	298
		Upper part of a small compound leaf	298
		Fragments from the upper part of a compound leaf.	298
		Portion of 4 magnified three diameters	298
Figs.	2, 3.	Sapindopsis magnifolia, sp. nov	297
		Summit of a large compound leaf	297
		Fragments of very large leaflets	297
Fig.	5.	Sassafras cretaceum Newb., var. heterolobum	289
		Entire leaf	- 980








PLATE CLIII.

	Page
Fig. 1. Sapindopsis tenuinervis, sp, nov.	301
1. Upper part of a compound leaf	30:
1a. Portion of the base of a leaflet magnified three diameters	30
1b. Portion of the middle of a leaflet magnified three diameters	30
Fig. 2. Sapindopsis magnifolia, sp. nov	293
2. Upper part of a large compound leaf	
Fig. 3. Sapindopsis variabilis, sp. nov	298
3. Fragment of a compound leaf	
Fig. 4. Sapindopsis brevifolia, sp. nov	300
4. Summit of a compound leaf	






PLATE CLIV.

PLATE CLIV.

		Pa
Figs.	1, 5. Sapindopsis magnifolia, sp. nov	,
	1. Upper part of a small compound leaf	:
	1a. Portion of a leaflet magnified three diameters	
	5. Portions of two leaflets	
**	0.1.01	
FIGS.	2-4. Sapindopsis variabilis, sp. nov	
	2. Upper part of an abnormal compound leaf	
	3. Summit of a small abnormal compound leaf	
	4. Portion of the upper part of an abnormal compound leaf	
	4ª. Portion of a leaflet of 4 magnified three diameters	
**		
Fig.	6. Sapindopsis parvifolia, sp. nov	
	6. Upper part of a compound leaf	






PLATE CLV.

PLATE CLV.

Figs.	1, 7.	SAPINDOPSIS BREVIFOLIA, sp. nov
	1.	Upper part of a compound leaf
	7.	Portiou of the upper part of a compound leaf
Figs	2-5.	Sapindopsis variabilis, sp. nov
		Upper portion of an unusually small compound leaf
		Upper part of a small compound leaf
		Fragments of the upper part of an abnormal compound leaf
	5.	Portion of the upper part of a compound leaf
TIG.	6.	Sapindopsis magnifolia, sp. nov
	6.	Upper part of a compound leaf
		A portion magnified
Fig.	8.	Ulmiphyllum Brookense, sp. nov
		Fragment of the basal part of a leaf
Fig.	9.	Populophyllum reniforme, sp. nov
~		Fragment of a leaf
		Portion of 0 magnified three diameters






PLATE CLVI.

MON XV-44

PLATE CLVI.

Fig.		FICOPHYLLUM TENUINERVE, sp. nov	Page. 292
Fig.		Small fragment of a leaf	292 286
F 1G.		Small fragment of a leaf .	286 286
FIG.		Populophyllum reniforme, sp. nov	311 311
Fig.		PROTEÆPHYLLUM RENIFORME, Sp. nov	282 282
Fig.		CELASTROPHYLLUM OBTUSIDENS, sp. nov Fragment with the margin mostly wanting.	305 305
Fig.		MYRICÆPHYLLUM DENTATUM, Sp. nov Fragonents of two leaves	316 316
FIG.		PROTEÆPHYLLUM DENTATUM, sp. nov Small fragment of a leaf	286 286
FIG.	8.	Celastrophyllum acutidens, sp. nov Fragment of a leaf. Portion of 8 magnified three diameters.	305 305 305
Fig.		QUERCOPHYLLUM GROSSEDENTATUM, sp. nov. Fragment of a leaf	307 307
FIG.	10.	MYRICA BROOKENSIS, sp. nov Basal portion of a leaf. Portion of 10 magnified three diameters.	319 310 310
Fig.		ARALLEPHYLLUM ACEROIDES, sp. nov Fragment of a large leaf.	319 319
Fig.		Sassafras bilobatum, sp. nov. Fragment of a leaf	290 290
Fig.		Sapindopsis obtusifolia, sp. nov	301 301






PLATE CLVII.

PLATE CLVII.

Figs.		Aralia dubia, sp. nov
		Summit of a lobe
	7.	Fragment of a leaf
Fig.	0	STERCULIA ELEGANS, Sp. nov
F IG.		
	2.	Restoration of the leaf as made out from fragments
Fics	3, 5, 6,	JUGLANDIPHYLLUM INTEGRIFOLIUM, sp. nov
		Small fragment of a leaf
		Upper portions of leaves of varying size
	6a.	Portion of 6 magnified three diameters
Fig.		Exconunction on accivenue on nov
riG.		FICOPHYLLUM CRASSINERVE, sp. nov
	4.	Tip of a leaf






PLATE CLVIII.

PLATE CLVIII.

FIG.	1.	Ulmiphyllum tenuinerve, sp. nov
	1.	Small fragment of a leaf.
	1ª.	Portion of 1 magnified three diameters
Free		
rigs.		STERCULIA ELEGANS, Sp. nov.
		Fragment of a large leaf
	ο.	Portion of a small leaf
FIG.	4.	POPULOPHYLLUM CRASSINERVE, sp. nov
		Fragment of a large leaf
Fig.		
r Itt.		PLATANOPHYLLUM CRASSINERVE, sp. nov
		Fragment of a large leaf
	Đa.	Portion of 5 magnified three diameters
Figs.	6, 7.	Ulmiphyllum crassinerve, sp. nov.
		Fragments of large leaves.
		Portion of 7 magnified three diameters
Fig.		Celastrophyllum Brookense, sp. nov
	8.	Fragment of a small leaf

MONOGRAPH XV PLATE CLVIII U. S. GEOLOGICAL SURVEY






PLATE CLIX.

PLATE CLIX.

Figs.	1, 2.	Rogersia longifolia, sp. nov
	1.	Upper part of a leaf
	2.	Base of a leaf
Figs.	3-6	Sapindopsis obtusifolia, sp. nov
db.		Upper part of a leaf of the largest size.
		Fragment of a leaf
		Summit of an inequilateral leaf
		Upper part of a leaf.
Fig	7.	Celastrophyllum Brookense, sp. nov
		Base of a leaf of the largest size.
Fig.	8.	Sassafras cretaceum (Newb.) var. heterolobum
		Fragment of a leaf
Free	9 10	Arallephyllum magnifolium, sp. nov
		Recal portions of large leaves






PLATE CLX.

PLATE CLX.

			Page.
Free	1.9	PROTEÆPHYLLUM RENIFORME, Sp. nov	282
1 103.	1.	Fragment of a crumpled leaf	282
		Restoration of the probable shape and size of the leaf	289
	1ª.	Portion of 1 magnified three diameters	289
Fice	3-6.	ARISTOLOCHIÆPHYLLUM CRASSINERVE, Sp. nov	329
1 100.		Fragment of probably the central part of the leaf	329
		Portion of 3 magnified six diameters	325
	4.	Portion of leaf enlarged three diameters	325
		Small fragment showing a primary nerve of large size	325
	6.	Fragment, probably from the left-hand basal portion of a leaf	329








PLATE CLXI.

		rage.
Figs. 1, 2.	Menispermites Virginiensis, sp. nov	321
1.	Fragment of a leaf showing mainly the basal portion	321
1ª.	Portion of 1 magnified three diameters.	321
	Summit of a smaller leaf	321






PLATE CLXII.

PLATE CLXII.

			Page
Fig.	. 1.	HEDERÆPHYLLUM ANGULATUM, SP. NOV.	32
	1	Nearly entire leaf	32
Fig.	. 2.	Arallæphyllum aceroides, sp. nov	31
	2.	Lower portion of a large leaf.	31
		•	
Fig.	. 3.	HEDERÆPHYLLUM CRENULATUM, Sp. nov	32
	3.	Nearly complete leaf	32
			32
FIG.		EUCALYPTOPHYLLUM OBLONGIFOLIUM, sp. nov	
	4.	Fragment of a leaf	35
	48	Portion magnified to show nervation	32








PLATE CLXIII.

Figs.	1, 4. Araliæphyllum obtusilobum, sp. nov
	4. Fragment of a leaf with abnormally rounded base
FIG.	2. Arallæphyllum acutilobum, sp. nov
Fig.	3. Sapindopsis brevifolia, sp. nov
Fig.	5. Saliciphyllum Ellipticum, sp. nov
Fig.	6. Hymenæa Virginiensis, sp. nov 6. Bases of two leaves
Fig.	7. Ulmphyllum Brookense, sp. nov
Fig.	8. ACERIPHYLLUM ARALIOIDES, sp. nov






PLATE CLXIV

MON XV-45

PLATE CLXIV.

Figs.	1, 2. FICOPHYLLUM EUCALYPTOIDES, sp. nov. 1. Portions of two leaves probably once attached to the same stem 1. Portion of 1 magnified three diameters. 2. Summit of a leaf	. 294
Fig.	3. Arallæphyllum obtusilobum, sp. nov	. 317
Fig.	4. Sassafras bilobatum, sp. nov 4. Nearly complete leaf	. 290
Fig.	5. Sassafras cretaceum, Newb., var heterolobum 5. Nearly entire leaf.	. 289






PLATE CLXV.

PLATE CLXV.

		Page.
Figs	: 1-3. Taxodium (Glyptostrobus) Brookense, sp. nov	254
	1, 2. Narrow forms	254
	3. Large branch and twigs of the narrowest form	254
Fig.	4. Laricopsis longifolia, sp. nov	233
	4. Small fragment of a leafy twig	233
Fig	5. WILLIAMSONIA VIRGINIENSIS, Sp. nov	273
	5. Whorl of bracts, showing traces of hair-like appendages	273
Fig.	6. Leptostrobus (?) multiflorus, sp. nov	230
	6. Programment of your long gone	930





PLATE CLXVI.

PLATE CLXVI.

]
Fig.	1.	Taxodium (Glyptostrobus) ramosum, sp. nov	
	1.	Fragments of small twigs	
	1ª.	Portion of 1 magnified	
Fig.	2.	Saliciphyllum ellipticum, sp. nov	
		Lower portion of a leaf	
Fig.		Populophyllum heder.eforme, sp. nov	
E 164.		Fragment of a leaf with large petiole	
Figs. 4	,7.	Taxodium (Glyptostrobus) Brookense, sp. nov	
	4.	Fragment of a very large branch	
	7.	Male inflorescence, probably of Taxodium (Glyptostrobus) Brookense	
	4ª.	Portion of an ultimate twig magnified	
Fig.	5.	CLADOPHLEBIS ACUTA, sp. nov	
		Small fragment of a frond	
		Pinnule magnified	
Fig.		SPHENOLEPIDIUM VIRGINICUM, sp. nov	
	6.	Fragments of two cones of S. Virginicum	

U. S. GEOLOGICAL SURVÉY

MONOGRAPH XV PLATE CLXVÍ








PLATE CLXVII.

	1.	Taxodium (Glyptostrobus) Brookense, var. angustifolium, sp. nov	Page. 256 256
Fig.	2. 2. 2°.	Part of an ultimate twig magnified. SPHENOLEPIDIUM KURRIANUM, sp. nov Fragments of a large branch Portion of a primary twig magnified. Portion of a secondary twig magnified.	256 260 260 260 260
	3,	Part of an ultimate twig magnified. TAXODIUM (GLYPTOSTROBUS) BROOKENSE, sp. nov Fragment of a large stem.	260 254 254
Fig.		PHYLLOCLADOPSIS HETEROPHYLLA, sp. nov	204 204
Fig.		Sequoia Reichenbachi, Heer Leafy branch of the most common kind	243 243
Fig.		Carpolithus Brookensis, sp. nov	268 268






PLATE CLXVIII.

PLATE CLXVIII.

Fig.	Frenelopsis parceramosa, sp. nov 1. Portion of a branching twig with ultimate branches of the most common size	Page. 218 218
Fig.	2. Brachyphyllum, sp?	224 224
FIG.	3. Dioonites Buchanus (Schimper), var. obtusifolius	184 184
Fig.	4. Nagelopsis subfalcata, sp. nov. 4. Small fragment of a brauch. 4. Leaflet magnified.	203 203 203
Figs.	5, 6. Laricopsis longifolia, sp. nov. 5. Small fragments showing scars of fallen leaf-bundles. 6. Fragment showing some leaf-bundles in place.	233 233 233
Fig.	7. Carpolithus Virginiensis, sp. nov. 7. Several nut-like seeds attached. 7a. Seed of 7 magnified.	266 266 266
Fig.	8. ABIETITES ELLIPTICUS, sp. nov 8. Fragment of a cone.	263 263
Fig.	9. Brachyphyllum crassicaule, sp. nov	221

U. S. GÉOLOGICAL SURVEY MONOGRAPH XV PLATE CLXVIII








PLATE CLXIX.

		Page.
IG.	1. Thinnfeldia granulata, sp. nov	111
	1. Fragment of a frond.	111
Fig.	2. Cladophlebis constricta, sp. nov	68
	2. Fragment of a small form	68
	2 ^u . Portion of 2 magnified	68
Fig.	3. Pecopteris Virginiensis, sp. nov	82
	3. Fragment from Covington street, Baltimore	85
Figs.	4, 5. Undetermined stems (g)	275
Figs.	6, 7. Thyrsopteris rarinervis, sp. nov	123
	6, 7. Fragments of large fronds	123
	6ª. Pinna of 6 magnified	123
Fig.	8. Callitris sp. ? sp. nov	279
	8. What seems to be the cone of a Callitris	279
Fig.	9. Undetermined stems (h)	270
Fig.	10. Celastrophyllum denticulatum, sp. nov	300
	10. Detached leaf	300
	10°. Portion of 10 magnified to show nervation	300






PLATE CLXX.

PLATE CLXX.

Fig.	1. Thyrsopteris divaricata, sp. nov 1. Small fragment of a frond
	I ^a . Portion of 1 magnified
FIG.	2. Podozamites acutifolius, sp. nov
Fig.	3. Zamites ovalis, sp. nov 3. Tip of a leaflet
Fig.	4. PINUS, sp.? 4. What seems to be the seed of a pine
Figs.	5, 6. PECOPTERIS STRICTINERVIS, sp. nov 5. Fragment of a compound pinna. 5 ^a . Pinnles of 5 magnified 6. Small fragment of an ultimate pinna 6 ^a . Pinnles of 6 magnified
Fig.	7. Acaclephyllum variabile, sp. nov 7. Fragments of leafy twigs
Fig.	8. RHIZOME OF EQUISETUM, sp. ? 8. Rhizome, probably of E. Marylandicum, with tubercles
Fig.	9. Podozamites subfalcatus, sp. nov
FIG. 10 ⁿ ,	10. ACROSTICHOPTERIS LONGIPENNIS, sp. nov 10. Fragment of a frond. 10 ^b . Portions of 10 magnified, to show varying shape of fractification; 10 ^a is partly restored.
Fig.	11. Acrostichopteris densifolia, sp. nov






PLATE CLXXI.

PLATE CLXXI.

Figs.	1, 5, 7. ACROSTICHOPTERIS LONGIPENNIS, sp. nov
	1. Fragment of a large frond
	1s. Portion of 1 magnified and partly restored
	5. Portion of a frond retaining only the fructification
	7. Fragment of a long compound pinna
	7º. Portion of 7 magnified and partly restored, showing the under side of the fructi-
	fied pinnules
Figs.	2, 6. Acrostichopteris densifolia, sp. nov
1 100	2. Fragment of a pinna
	6. Small fragment of a pinna
	6ª. Pinnule magnified and slightly restored
Figs.	3, 4. Acrostichopteris parvifolia, sp. nov
	3. Small fragment showing two nitimate pinne
	3a. Pinnule of 3 magnified
	4. Small portion of a compound pinna, showing a very stout primary rachis
	4º. Ultimate pinna of 4 magnified and partly restored





PLATE CLXXII.

MON XV-46

PLATE CLXXII.

			Page.
Figs.	-,	PROTEEPHYLLUM DENTATUM, sp. nov.	286 286
	4.	Fragment with margins of the leaf not preserved	286
Fig.		Celastrophyllum tenuinerve, sp. nov	306 306
Figs.	3, 6,	Celastrophyllum latifolium, sp. dov	306
		Upper portion of a leaf Entire leaf of small size	306 306
Fig.	5.	Saliciphyllum parvifolium, sp. nov	303 303
Fig.		CELASTROPHYLLUM DENTICULATUM, Sp. nov	306
		Portion of a leaf of the largest size	306
FIG.		Menispermites tenuinervis, sp. nov	322
		Lower part of a thick leaf	322
Figs.		Celastrophyllum obovatum, sp. nov Middle portion of a leaf.	307 307
	10.	Fragment of the upper part of a leaf	307
	10a.	Portion of 10 magnified three diameters	307
Figs.		VITIPHYLLUM (CISSITES) PARVIFOLIUM, sp. nov	309
		Fragments of leafy branches Fragment of a leafy branch	309 309
Fig.		Acrostichopteris densifolia, sp. nov	107
	13.	Fragment of a compound pinna	107
FIG.		ACROSTICHOPTERIS PARVIFOLIA, Sp. nov	108






PLATE CLXXIII.

PLATE CLXXIII.

Figs.		VITIPHYLLUM (CISSITES) MULTIFIDUM, sp. nov	
	1-9.	Portions of leaves varying in size and lobing	
Fig.	10.	FICOPHYLLUM CRASSINERVE, sp. nov	
	10.	Fragment of a small leaf	
Fig.	11	UNDETERMINED PLANT (i)	
1 1(1.		Possibly a sheath of Equisetum compressed vertically	
		The same magnified	
	11".	The same magnified	
Figs.	12, 14.	PROTEÆPHYLLUM DENTATUM, Sp. nov	
	12, 14.	Fragments of the middle portions of Icaves	
Fig.	19	Celastrophyllum latifolium, sp. nov	
FIG.			
	13.	Fragment of the middle part of a leaf	
	13a.	Portion magnified to show nervation	






PLATE CLXXIV.

PLATE CLXXIV.

	Page.
Tysonia Marylandica, sp. nov. (balf natural size)	193
View of the better broad side of trunk No. 1, the smaller one	193








PLATE CLXXV.

PLATE CLXXV.

	rage.
Tysonia Marylandica, sp. nov. (half natural size)	193
View of the better narrow side of trunk No. 1	193










PLATE CLXXVI.

PLATE CLXXVI.

	rage.
Tysonia Marylandica, sp. nov. (half natural size)	193
View of the imperfect broad side of trunk No. 1	193

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE CLXXVI








PLATE CLXXVII.

Tysonia Marylandica, sp. nov. (half natural size)	193
View of the base of trunk No. 1	193

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE GLXXVII





PLATE CLXXVIII.

PLATE CLXXVIII.

Tysonia Marylandica, sp. nov. (half natural size)	193
View of top of trunk No. 1	193






PLATE CLXXIX.

PLATE CLXXIX.

	I MEO.
Tysonia Marylandica, sp. nov. (half natural size)	193
View of the broad side of trunk No. 2.	193

U. S. GEOLOGICAL SURVEY MONOGRAPH XV PLATE CLXXIX






PLATE CLXXX.

MON XV-47

PLATE CLXXX.

Tysonia Marylandica, sp. nov. (half natural size)	19:
View of the narrow side of trunk No. 2	193

U. S. GEOLOGICAL SURVEY

